

At the heart of your home

Gas Fires 2024



BRITISH MANUFACTURING





Welcome to Flavel



Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Flavel branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



Every model* carries the peace of mind of a 7 year guarantee and the reassurance of the Flavel Airwatch System on all living flame effect fires. This device immediately cuts off the gas supply in the unlikely event of the flame being extinguished through blockage.

Our 7 year guarantee is subject to terms & conditions including annual services carried out by a Gas Safe Register engineer and annual replacement of the oxy-pilot assembly (or thermocouple on balanced flue models).



At Flavel we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of affordable gas fires to complement all tastes and lifestyles. I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Flavel gas fires carry a 7 year guarantee to reflect my belief in their quality and durability.

This brochure has been designed to make the purchase of your new Flavel gas fire as simple as possible. I hope you will find it both informative and inspiring.





Flavel products are fully compliant with the Eco design directive Commission Regulation (EU) 2015/1188.

DSI. Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

The BSI is an independent organisation. They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are $% \left\{ 1,2,...,n\right\}$ recognised internationally for their technical expertise, quality services and in-depth knowledge of gas and electrical testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.



Tested & Approved Conforms to GB legislation

| Guide to efficiencies and fire types | 6-7 |
|--------------------------------------|-----|
| Before you Begin - guide to icons | 8-9 |

Conventional Flue

| Fireplace Suites – Glass Fronted | |
|----------------------------------|----|
| Sophia Suite | 10 |
| Wall Inset – Glass Fronted | |
| Rocco HE | 12 |
| Jazz HE | 13 |
| Diamond HE14- | 15 |
| Windsor Contemporary HE | 16 |
| | |
| Wall Inset – Open Fronted | |
| Windsor Contemporary Plus | 17 |
| Hearth Inset – Glass Fronted | |
| Romance18- | 19 |
| Caress HE | 20 |
| Decadence HE | 21 |
| Kenilworth HE | 22 |
| Linear HE | 23 |
| Windsor Contemporary HE | 24 |
| Windsor Traditional HE | 25 |
| | |

Hearth Inset – Open Fronted Richmond Plus & Richmond.......26 Caress Plus27 Calypso Plus28 Rhapsody Plus29 Decadence Plus30 Kenilworth Plus32 Windsor Contemporary Plus34 Windsor Traditional Plus......35 Hearth Outset – Glass Fronted Emberglow 36 Renoir.......37 Hearth Outset – Open Fronted Welcome......39 Misermatic 41 Renaissance......42



Balanced Flue

| Fireplace Suites – Glass Fronted | |
|----------------------------------|----------------|
| Sophia Slimline BF Suite | 11 |
| | |
| Wall Inset – Glass Fronted | |
| Rocco BF | 12 |
| Jazz BF | 13 |
| | |
| Hearth Outset – Glass Fronted | |
| Emberglow BF | 32 |
| Hearth Inset – Glass Fronted | |
| Calibre BF | 14 |
| Orchestra BF | |
| Orchestra Br | 1 5 |



standardfires

Builders' Opening Sizes.....

Online inspiration......55

...54

Running costs.....

Hearth Outset – Open Fronted

Regent LFE......52



Get up to 93.5% energy efficiency from your gas fire...

Flavel is a British manufacturer with a reputation for excellent quality gas fires. Our R&D team continue to invest in developing new technology to produce gas fires that save energy and as a result, help to keep costs down.

The Flavel high efficiency range combines exceptional heat output with lower running costs compared to standard gas fires.

Conventional Flue

Glass Fronted



Our glass fronted high efficiency conventional flue fires have an energy efficiency of up to 86.3%. The glass panel across the front which concentrates radiant heat generated from the fuel bed and forces it directly into the room with less heat lost through the chimney. Convected heat is also produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, making these the most efficient conventional flue fires available.

Open Fronted



Our open fronted high efficiency conventional flue fires can reach an energy efficiency of up to 68.3%. These fires provide the look and feel of a real open fire providing both radiant and convected heat. Radiant heat is emitted from the coal effect fuel bed and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air though the gap above the canopy.

Balanced Flue


Glass Fronted



Our glass fronted high efficiency balanced flue fires have an energy efficiency of up to 93.5%. Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home, a balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. They are glass fronted, completely room sealed appliances and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes.

standardfires





Standard fires can achieve a direct heat output of up to 3.1kW. It is recommended that these products are not suitable for use as a primary heat source, but are ideal if you are looking for a great fireplace feature for occasional use.

Fires for every home

What type of Flavel fire will suit your home best?

From traditional to contemporary, slimline to full depth, we have models to suit all types of situation and installation.

There is a Flavel fire to make anywhere feel like home.

Browse through the fire options below, then use the guide on page 6 to help you identify which type of chimney or flue you have.

Every product page displays icons to identify flue suitability, fuel type, control options, and more.

Wall Inset



To complement a contemporary home choose a wall inset product, otherwise known as a hole-in-the-wall fire. We have models available for all chimney and flue types.

Hearth Inset



A hearth inset fire saves space as it is recessed into the chimney breast or flue. Available in a choice of slimline or full depth fuel beds, with balanced flue options for homes without a chimney or flue.

Fireplace Suite



A Suite really makes a statement in a room and comes complete with the surround and gas fire suitable for balanced flues.

Hearth Outset



Set onto a hearth this type of fire takes a more prominent position in a room with some models offering the option of side windows so that the flame pattern can be seen from wider angles.

Before you begin

Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. If you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



Brick Chimney - Class 1 Flues

Apart from products designed for "no chimney" applications, all Flavel products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue - Class 2 Flues

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Flavel fires featuring this icon are only suitable for Pre-Cast flues conforming to BS EN 1858.

Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described on the left, then you will require a Balanced Flue.



Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Gas Supply

Your gas supply will either be natural gas or LPG, depending on the area in which you live.



Natural Gas

If you have a gas meter then you will have natural gas.



8

LPG is the most popular alternative to natural gas.

Controls



Manual Control

A simple and discreet control system located behind the fire's trim or fret on inset fires and the bottom right side on outsets.



Slide Control

Convenient control that eliminates the necessity of bending down.



Top Control

A push down and twist ignition and control located on the top of outset fires means you don't have to bend down to light the fire.



Remote Control

The remote control handset is used to light the fire as well as adjust the flame height and heat output.



Semi Remote Control

Light the fire using the manual control system then use the remote control handset to adjust the flame height and heat output.



Electronic Flame Control

Discreet easy access buttons are used to ignite the fire and adjust heat and flame height.



Remote Control with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. Thermostatic control function can also regulate room temperature.



Electronic Top or Side Control System

Both ignition and heat are controlled by a single rotary motion to light the fire. These easy to use controls are now available on our best selling radiant outsets. Requires an AA battery.









Ribbed Black



Sophia Suite

This suite benefits from a non-reflective glass front, that delivers an uninterrupted view of the log fuel effect.

handset. The remote control system includes a thermostatic operation that automatically adjusts the heat output up or down to maintain your desired pre-set temperature. There is also a wake/sleep timer function which lets you specify when the fire will automatically turn on and turn off.

For optimum efficiency the Sophia conventional flue model comes with a built in electronic fan that is used to circulate convected heat around the room.



Specifications

Description: Full depth fireplace suite Type of Heat: Radiant & Convected

| | Conventional | Balanced |
|--------------------------|--------------------|-------------------|
| Useful energy efficiency | 82% | 87.2% |
| Energy efficiency class | D | С |
| Fuel type | Natural gas | Natural gas |
| Direct heat output | 5.6kW | 4.3kW |
| Control type | Model Number | |
| Remote | FDCLRBRN2+B-163230 | FSBLBTRN+B-179830 |

Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue models)

Air vent required: Not normally


Dimensions
















A 1233mm B 1480mm C 739mm

F 793mm G 921mm

J 410mm K 727mm


Sophia Suite conventional flue

The Sophia suite features a large high efficiency gas fire, and is framed with a beautifully designed Royal Botticino marble surround.

This suite is available in a conventional flue or slimline balanced flue version, and is operated by a multifunctional remote control







A 1232mm B 1450mm

E 154mm F 410mm G 746mm H 550mm

I 694mm J 960mm K 1450mm



Conventional & Balanced Flue – Wall Inset – Glass Fronted

A 613mm B 910mm

D 350mm



Rocco HE

This stunning glass fronted hole-in-the-wall fire features a realistic log fuel effect and comes in a choice of chrome or black trim options.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | | Conventional | Balanced |
|-------------------------|--------|--------------|-------------|
| Useful energy efficie | ency | 73.9% | 80.8% |
| Energy efficiency class | | E | E |
| Fuel type | | Natural gas | Natural gas |
| Direct heat output | | 3.6kW | 5.5kW |
| Control type Colour | | Model Number | |
| Remote | Chrome | FPHL21RN2 | |
| nemote | Black | FPHL22RN2 | FBFL22RN3 |

Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue models)

Air vent required: Not normally





| Dimension | * Semi remote control, balanced flue model only. |
|---|--|
| Rocco HE A 621mm B 921mm C 516mm D 306mm E 728mm | B E E |
| Rocco BF | |



Rocco BF with black trim

highefficiency Conventional & Balanced Flue – Wall Inset – Glass Fronted

Dimensions

A 549mm

B 810mm

C 460mm D 315mm E 631mm

Jazz BF

A 549mm B 810mm C 460mm D 295mm E 631mm



* Semi remote control, balanced flue model only.

Jazz HE

This stunning glass fronted hole-in-the-wall fire has petite dimensions and a highly realistic log fuel effect. Both the Jazz HE and balanced flue models feature a black back and high quality trims in two finishes –chrome and black.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | | Conventional | Balanced |
|-------------------------|--------------------------|--------------|-------------|
| Useful energy effic | Useful energy efficiency | | 83.9% |
| Energy efficiency class | | D | D |
| Fuel type | | Natural gas | Natural gas |
| Direct heat output | | 3.2kW | 4.2kW |
| Control type Colour | | Model Number | |
| Chrome | | FHCL21RN | FJBL21RN |

FHCL22RN

FJBL22RN

Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue models) Air vent required: Not normally







Diamond HE

As Flavel's debut high efficiency hole-in-the-wall fire, the Diamond HE is a contemporary and economical heating solution with an energy efficiency of 84.3%. This glass fronted fire features the stunning chrome and black 'Diamond' fascia design and is available with a choice of coal or pebble fuel effect.



Diamond HE with pebble fuel effect

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | 84.3% |
|--------------------------|--------------|--------------|
| Energy efficiency class | | С |
| Fuel type | | Natural gas |
| Direct heat output | | 3.4kW |
| Fuel effect | Control type | Model Number |
| Coal | | FHDC00RN3 |
| Pebble | Remote | FHDP00RN3 |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



























A 650mm B 600mm C 550mm D 180mm E 365mm F 65mm












Pebble

Video Coal







highefficiency Conventional Flue – Wall Inset – Glass Fronted



Windsor Contemporary HE

The Windsor Contemporary glass fronted high efficiency wall inset gas fire comes with the option of a coal or pebble fuel bed and features a large viewing window and chrome fascia. This extremely versatile fire will fit into almost any chimney or flue.

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | 81.3% |
|--------------------------|--------|--------------|
| Energy efficiency class | | D |
| Fuel type | | Natural gas |
| Direct heat output | | 2.9kW |
| | | |
| Fuel effect Control type | | Model Number |
| Coal | Manual | FSHCHWMN |
| Pobblo | Manual | ECHDHWMN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Pebble





A 671mm B 512mm C 550mm D 125mm E 327mm

Dimensions



Windsor Contemporary HE

highefficiency

Conventional Flue - Wall Inset - Open Fronted



Windsor Contemporary Plus

The Windsor Contemporary wall inset gas fire is also available as an open fronted model featuring a large viewing window and chrome fascia. There is a choice of a coal or pebble fuel bed and this very versatile fire will fit into almost any chimney or flue.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | 66.8% |
|--------------------------|---|--------------|
| Energy efficiency class | | F |
| Fuel type | | Natural gas |
| Direct heat output | | 4.0kW |
| | l | |
| Fuel effect Control type | | Model Number |
| Coal | | FSPCHWMN |
| Pebble | | FSPPHWMN |

Safety: Flame Supervision Device & Airwatch System



Pebble



Coal











Dimensions







Windsor Contemporary Plus with pebble fuel effect

Romance

Romance is an exceptionally stylish and impressive natural log fuel effect gas fire.

This glass fronted fire is available in two control options, remote, or manual, both delivering an exceptional heat output of 4.0kW, with a high efficiency rating upto 82.6%. The Romance is designed with a large clear glass window to provide wide-angle views of the lively full depth log burning fuel effect.

This stunning gas fire is further complemented with a choice of uniquely designed fascias, and are available in Black Nickel & Black, Black Nickel & Chrome, and Satin Silver & Chrome.





Black Nickel & Chrome

Romance Satin Silver & Chrome


Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | Remote | Manual |
|--------------------------|--------------|--------------|
| Useful energy efficiency | 82.6% | 82.3% |
| Energy efficiency class | С | D |
| Fuel type | Natural gas | |
| Direct heat output | 4.0kW | |
| | | |
| Colour | Model Number | Model Number |
| Black Nickel & Chrome | FLBLBCRN | FLBLBCMN |
| Black Nickel & Black | FLBLNBRN | FLBLNBMN |
| Satin Silver & Chrome | FLBLSCRN | FLBLSCMN |
| | | |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

Dimensions





















18 19



Conventional Flue — Hearth Inset — Glass Fronted

Dimensions

A 615mm B 510mm C 550mm D 230mm E 400mm



Caress HE Contemporary

Caress HE

The Caress HE glass fronted gas fire features an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or chrome cast iron. It features a heat output of up to 4kW and an energy efficiency of up to 86.3%.

LPG model avaiable for homes without a natural gas supply.

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | 86% | 86% | |
|--------------------------|--------|--------------|-------------|--|
| Energy efficiency class | | С | С | |
| Fuel type | | Natural gas | Natural gas | |
| Direct heat output | | 3.9kW | 3.9kW | |
| | | Contemporary | Traditional | |
| Control type | Colour | Model Number | - | |
| Slide | Brass | | FHEC41SN | |
| Silde | Chrome | FHEC6RSN | | |
| | Brass | | FHEC11RN2 | |
| Remote | Chrome | FHEC3RRN2 | | |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Video Traditional



Contemporary

highefficiency Conventional Flue — Hearth Inset — Glass Fronted

Decadence HE

The Decadence HE high efficiency glass fronted gas fire with an energy efficiency of 84.3%. It is available in a choice three beautiful high quality cast iron fascias - gold, chrome or black nickel plated finishes.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | Remote |
|--------------------------|-------------|
| Useful energy efficiency | 84.3% |
| Energy efficiency class | С |
| Fuel type | Natural gas |
| Direct heat output | 3.4kW |
| | |
| Gold | FHKCDBRN3 |
| Chrome | FHKCDCRN3 |
| Black Nickel | FHKCDNRN3 |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally










Dimensions









Black nickel





highefficiency Conventional Flue – Hearth Inset – Glass Fronted



Kenilworth HE

The Kenilworth gas fire features a welcoming full depth coal fuel effect and will fit most chimney and flue types including a pre-cast flue with a 3" rebate on the fire surround.

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected


| | Manual | Remote |
|--------------------------|--------------|-------------|
| Useful energy efficiency | 84.3% | 84.3% |
| Energy efficiency class | D | С |
| Fuel type | Natural gas | Natural gas |
| Direct heat output | 3.4kW | 3.4kW |
| Colour | Model Number | |
| Brass | FHKC14MN2 | FHKC14RN3 |
| Black | FHKC26MN2 | FHKC26RN3 |
| Chrome | FHKC37MN2 | FHKC37RN3 |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions











Kenilworth HE in brass

Kenilworth HE

highefficiency

Conventional Flue — Hearth Inset – Glass Fronted



Linear HE

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | | 84.3% | |
|--------------------------|--------------|-----------|--------------|--|
| Energy efficiency class | | | D | |
| Fuel type | | | Natural gas | |
| Direct heat output | | | 3.4kW | |
| Fuel effect | Control type | Colour | Model Number | |
| Coal | | Character | FHLCX0MN2 | |
| Pebble | Manual | Chrome | FHLPX0MN2 | |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Web Link



Dimensions

- A 595mm B 483mm C 550mm D 180mm E 365mm







Linear HE with pebble fuel effect



highefficiency Conventional Flue – Hearth Inset – Glass Fronted



Windsor Contemporary HE

Stunning styling makes the Windsor Contemporary glass fronted high efficiency gas fire the centrepiece of your room. This slimline model will fit almost any chimney or flue, including pre-cast (BS EN 1858), and comes with a smart chrome fascia.

Specifications

| Description: Slimline inset gas fire | Type of Heat: Radiant & Convected | |
|--------------------------------------|-----------------------------------|--|
| | | |


| Useful energy efficiency | | | 81.3% | |
|--------------------------|--------------|--------|--------------|--|
| Energy efficiency class | | | D | |
| Fuel type | | | Natural gas | |
| Direct heat output | | | 2.9kW | |
| Fuel effect | Control type | Colour | Model Number | |
| Coal | | Chrome | FSHCU0MN | |
| Pebble Manual | | Chrome | FSHPU0MN | |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally











Windsor Contemporary HE

highefficiency

Conventional Flue — Hearth Inset – Glass Fronted



Windsor Traditional HE

The Windsor Traditional HE glass fronted gas fire offers exceptional heat output of 2.9kW with an energy efficiency of 81.3% and is available in manual or slide control.

| S | pe | cifi | ca | tio | ns | |
|---|----|------|----|-----|----|--|


Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | 81.3% | |
|--------------------------|--------|--------------|--|
| Energy efficiency class | | D | |
| Fuel type | | Natural gas | |
| Direct heat output | | 2.9kW | |
| Control type | Colour | Model Number | |
| Manual | Brass | FSHC11MN | |
| IVIanuai | Chrome | FSHC3JMN | |
| Slide | Brass | FSHC11SN2 | |
| Silde | Chrome | FSHC3JSN2 | |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions





Windsor Traditional HE



Conventional Flue — Hearth Inset – Open Fronted















Dimensions

A 600mm B 498mm C 548mm D 223mm

Richmond A 595mm B 500mm

C 550mm D 250mm E 400mm





Specifications

Richmond Plus

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Richmond Plus & Richmond

You can now achieve the look of a real open coal fire, combined with the convenience of gas

efficiency and outstanding warmth. The Richmond features a Standard trim and Dallas fret and

fuel. The Richmond full depth convector fire combines a brilliant flame effect with high

| Useful energy efficiency | 66.7% |
|--------------------------|-------------|
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 4.1kW |
| Model Number | |

is available in black, chrome or brass finishes.

| Model Number | | | | |
|--------------|--------------------------------|--|--|--|
| Manual | Slide | Remote | | |
| FOPC12MN | FOPC12SN | FOPC12RN2 | | |
| FOPC23MN | FOPC23SN | FOPC23RN2 | | |
| FOPC37MN | FOPC37SN | FOPC37RN2 | | |
| | Manual FOPC12MN FOPC23MN | Manual Slide FOPC12MN FOPC12SN FOPC23MN FOPC23SN | | |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



26

Richmond

| 60% |
|-------------|
| F |
| Natural gas |
| 3.7kW |
| |

| | Model |
|--------|----------|
| Colour | Slide |
| Brass | FICC42SN |
| | |
| | |

Richmond Plus



Richmond Plus

highefficiency Conventional Flue — Hearth Inset — Open Fronted



Caress Plus

The Caress Plus features an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or chrome cast iron. The Caress Plus open-fronted model has been designed to provide an energy efficiency of 68.3% and a heat output at 4.2kW. Each model is available in a range of control options.

Specifications

Caress Plus

Description: Mid and full depth inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | | | 68.3% | |
|--------------------------|--------------|--------------|-----|-------------|--|
| Energy effic | ciency class | | F | | |
| Fuel type | | | Na | tural gas | |
| Direct hear | t output | | 4.2 | kW | |
| Contempor | | | ary | Traditional | |
| Control | Colour | Model Number | | | |
| Manual | Brass | | | FKPC11MN | |
| Manual | Chrome | FKPC3RMN | | | |
| Slide | Brass | FKPC45SN | | FKPC41SN | |
| Silde | Chrome | FKPC6RSN | | FKPC6JSN | |
| Remote | Brass | | | FKPC11RN2 | |
| Kemote | Chrome | FKPC3RRN | 2 | | |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Contemporary

Traditional



Caress Plus Traditional

Dimensions †Pre-cast flue on Caress Plus models.

A 615mm B 510mm

C 548mm D 170mm





Conventional Flue — Hearth Inset — Open Fronted



Calypso Plus

The Calypso Plus successfully combines exceptional fire design with today's necessity for convenience in the form of a user friendly dual directional slide control. This fire will be equally at home in a contemporary or traditional fire surround and room setting.


Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | 68.3% | 67% |
|--------------------------|--------------|-------|
| Energy efficiency class | F | F |
| Final trine | Notional and | LDC |
| Fuel type | Natural gas | LPG |
| Direct heat output | 4.2kW | 4.2kW |

FKPC42SN FKPC42SP

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



highefficiency Conventional Flue - Hearth Inset - Open Fronted



Rhapsody Plus

The classic Rhapsody Plus open fronted fire has a very realistic deep fuel effect and beautiful flame picture making it indisguisable from a real coal fire. With an elegant arched trim and striking fret they are a timeless classic.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected Useful energy efficiency 69 30/ 670/

| Useful energy efficiency | | 68.3% | 6/% |
|--------------------------|--|-------------|-------|
| Energy efficiency class | | F | F |
| Fuel type | | Natural gas | LPG |
| Direct heat output | | 4.2kW | 4.2kW |
| Control Colons | | | |

| Control | Colour | Model Number | |
|---------|------------------|--------------|----------|
| | Brass | FKPCBRSN | FKPCBRSP |
| Slide | Antique Brass | FKPCBBSN | FKPCBBSP |
| | Black | FKPCBLSN | FKPCBLSP |
| | Chrome | FKPCSLSN | FKPCSLSP |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Web Link



Rhapsody Plu

A 605mm

B 491mm C 548mm D 170mm E 365mm







Brass

Antique brass

Black





highefficiency Conventional Flue — Hearth Inset — Open Fronted



Decadence Plus

The Decadence Plus is a striking open fronted coal effect gas fire which features a choice of three beautiful high quality cast iron fascias available in a choice of gold, chrome or black nickel plated finishes.

Specifications


Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | 68.3% |
|--------------------------|--------------|--------------|
| Energy efficiency class | | F |
| Fuel type | | Natural gas |
| Direct heat output | | 4.2kW |
| Control type Colour | | Model Number |
| | Gold | FKPCDBSN |
| Slide | Chrome | FKPCDCSN |
| | Black Nickel | FKPCDNSN |
| Remote | Gold | FKPCDBRN2 |
| | Chrome | FKPCDCRN2 |
| | Black Nickel | FKPCDNRN2 |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



30



Dimensions





Decadence Plus



Decadence Plus

highefficiency Conventional Flue – Hearth Inset – Open Fronted



Linear Plus

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This deep fuelbed gas fire delivers a wonderful flame effect and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.


Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | | 68.3% |
|-------------------------------------|--------------------|--------|--------------|
| Energy efficiency class | | | F |
| Fuel type | | | Natural gas |
| Direct heat output | | | 4.2kW |
| Fuel Effect Control type Colour | | Colour | Model Number |
| Coal | Coal Manual Chrome | | FKPCU0MN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions







highefficiency Conventional Flue — Hearth Inset — Open Fronted



Kenilworth Plus

The Kenilworth gas fire features a welcoming deep coal fuel effect that will fit most chimney and flue types including a pre-cast flue with a 3"rebate on the fire surround.

Specifications

| Description: Mid depth inset gas fire | | | | |
|---------------------------------------|--|-------------|--------------|--|
| Useful energy efficiency | | | 68.3% | |
| Energy efficiency class | | F | | |
| Fuel type | | Natural gas | | |
| Direct heat output | | 4.2kW | | |
| Control type Colour | | | Model Number | |


| | Direct heat output | | 4.2kW |
|--------|---------------------|----------------|--------------|
| | Control type Colour | | Model Number |
| | | Brass | FKPC14MN |
| | Manual | Chrome (Grace) | FKPC37MN |
| | | Black | FKPC26MN |
| | | Brass | FKPC14SN |
| | Slide | Chrome (Grace) | FKPC37SN |
| Remote | | Black | FKPC26SN |
| | | Brass | FKPC14RN2 |
| | Remote | Chrome (Grace) | FKPC37RN2 |
| | | Black | FKPC26RN2 |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





Dimensions









Kenilworth Plus



Kenilworth Plus

highefficiency Conventional Flue — Hearth Inset — Open Fronted



Expression Plus

The Flavel Expression Plus high efficiency gas fire boasts an impressive 68.3% Energy efficiency and can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This openfronted gas fire features a coal fuel effect and comes with a contemporary chrome one-piece fascia. This fire is available with manual control, slide control, or fully automatic remote control.

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

| | Useful energy efficiency | | 68.3% | |
|--|-----------------------------|--|--------------|--|
| | Energy efficiency class | | F | |
| | Fuel type | | Natural gas | |
| | Direct heat output | | 4.2kW | |
| | Control type Colour | | Model Number | |
| | Slide Chrome Remote Chrome | | FKPCEPSN | |
| | | | FKPCEPRN2 | |









Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





highefficiency Conventional Flue — Hearth Inset — Open Fronted



Windsor Contemporary Plus

Stunning styling makes the Windsor Contemporary Plus the centrepiece of your room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858) and achieves an impressive 66.8% energy efficiency with a 4.0kW heat output.

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | | 66.8% |
|-------------------------------------|--------|--------|--------------|
| Energy efficiency class | | | F |
| Fuel type | | | Natural gas |
| Direct heat output | | | 4.0kW |
| Fuel Effect Control type Colour | | Colour | Model Number |
| Coal | Manual | Chrome | FSPCU0MN |
| Pebble Manual C | | Chrome | FSPPU0MN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Pebble

Coal











Dimensions A 592mm B 475mm C 548mm D 120mm E 324mm





Windsor Contemporary Plus

highefficiency Conventional Flue – Hearth Inset – Open Fronted



Windsor Traditional Plus


The Windsor Traditional Plus is an open fronted high efficiency gas fire combining an exceptional heat output of 4.0kW and an energy efficiency of 66.8%. This fire is perfect for homes where a more traditional styling is needed to complement the décor.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | 66.8% |
|--------------------------|--|--------------|
| Energy efficiency class | | F |
| Fuel type | | Natural gas |
| Direct heat output | | 4.0kW |
| Control type Colour | | Model Number |
| Manual Brass | | FSPC11MN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





Coal



Conventional & Balanced Flue — Hearth Outset — Glass Fronted



Emberglow

The Emberglow high efficiency gas fire features an elegant design with high quality cast iron canopy and fire front. Front and side windows allow the flames can be seen from all angles. The main image represents the natural gas model. The flame picture may differ on LPG model.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected

| | ES | Remote | ES | Manual |
|--------------------------|-------------|--------|-------|-------------|
| | Conventiona | al | | Balanced |
| Useful energy efficiency | 78.7% | 81.6% | 82.2% | 86.9% |
| Energy efficiency class | E | D | D | С |
| Fuel type | Natural gas | | LPG | Natural gas |
| Direct heat output | 4.2kW | 4.4kW | 4.2kW | 4.3kW |
| | | | | |

Model Number FEMCOOEN FEMCOORN2 FEMC00EP FEBC00MN


Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue model) Air vent required: Not normally





Video BF

Dimensions * Manual control Balanced Flue model. Emberglow A 708mm B 673mm C 324mm





Emberglow Balanced Flue

highefficiency Conventional Flue — Hearth Outset — Glass Fronted



Renoir

The Renoir outset living flame effect gas fire features a beautiful flickering flame effect and is operated by an electronic side control system to make it much easier to ignite the fire. This classically designed fire has an impressive heat output of up to 4.4kW and energy efficiency of up to 81.6%.

Description: Full depth outset gas fire Type of Heat: Radiant & Convected

| | | ES | Remote |
|--|--------------------|--------------|-------------|
| Useful energy efficiency Energy efficiency class Fuel type | | 78.7% | 81.6% |
| | | E | D |
| | | Natural gas | Natural gas |
| Direct heat output | Direct heat output | | 4.4kW |
| Colour Black | | Model Number | |
| | | FRECNOEN | FRECNORN2 |
| | Bronze | FRECROEN | FRECRORN2 |


Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





Dimensions

Emberglov A 703mm B 684mm C 324mm







highefficiency Conventional Flue — Hearth Outset — Open Fronted



Regent

One of the most popular radiant fires in the UK, the Regent features a slim design and has an energy efficiency of 74%. The Regent is available in a choice of black or bronze finishes and is operated by electronic side control.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected


| Useful energy efficiency | | 74% |
|--------------------------|--------|--------------|
| Energy efficiency class | | E |
| Fuel type | | Natural gas |
| Direct heat output | | 4.5kW |
| Control type | Colour | Model Number |
| Electronic Side | Black | FRGCNOEN |
| Electronic Side | Bronze | FRGCP0EN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





Dimensions





Regent in bronze

highefficiency Conventional Flue – Hearth Outset – Open Fronted



Welcome


The Welcome's beautiful electrically illuminated coal effect brings life to the room even when the heat is off, providing a charming focal point to any room. It also has a 74% energy efficiency, resulting in lower running costs.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | 74% |
|--------------------------|--------|--------------|
| Energy efficiency class | | E |
| Fuel type | | Natural gas |
| Direct heat output | | 4.5kW |
| Control type Colour | | Model Number |
| Electronic Side | Bronze | FWERROEN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions

A 680mm B 718mm C 310mm



Web Link



highefficiency Conventional Flue – Hearth Outset – Open Fronted



Strata

The Strata offers an incredible energy efficiency of 82% and 5.2kW heat output. It has a stylish contemporary look with soft, curved lines and is available in a choice of three colour options. Can be wall mounted.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

| 7, | | |
|--------------------------|--------|--------------|
| Useful energy efficiency | | 82% |
| Energy efficiency class | | D |
| Fuel type | | Natural gas |
| Direct heat output | | 5.2kW |
| | | |
| Control type | Colour | Model Number |
| | Black | FORSBLEN |
| Electronic Top | Brown | FORSBOEN |
| | Cream | FORSCOEN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions





highefficiency Conventional Flue – Hearth Outset – Open Fronted

Dimensions

A 515mm B 800mm C 200mm D 100mm E 60mm



Misermatic

Incredible 82% energy efficiency and adaptability; the Misermatic has them both. Available in a range of wood finishes, this fire can be wall or hearth mounted with an easily accessible top mounted control. Can be wall mounted.

| Spec | ifi | cat | i۸ | n |
|------|-----|-----|----|---|

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | 82% |
|--------------------------|------------|--------------|
| Energy efficiency class | | D |
| Fuel type | | Natural gas |
| Direct heat output | | 5.2kW |
| Control type | Colour | Model Number |
| | Mahogany | FORMM0EN |
| Electronic Top | Teak | FORMTOEN |
| | Light Oak | FORMLOEN |
| | Medium Oak | FORMN0EN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally





Misermatic in medium oak



Misermatic in mahogany

Misermatic in teak



Conventional Flue — Hearth Outset – Open Fronted



Renaissance

The Renaissance provides a natural talking point the moment you enter the room. Its stylish retro design is matched by its forward thinking simplicity of installation, impressive 5.2kW heat output and astounding 82% energy efficiency. Can be wall mounted.

Specifications


Description: Slimline outset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | 82% |
|--------------------------|--------|--------------|
| Energy efficiency class | | D |
| Fuel type | | Natural gas |
| Direct heat output | | 5.2kW |
| | | |
| Control type | Colour | Model Number |
| | Silver | FORRSOEN |
| Electronic Top | Plack | EODDDOEN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally



Dimensions





Renaissance in black

highefficiency Conventional Flue – Hearth Outset – Open Fronted



Firenza

The compact and economical Firenza can be wall or hearth mounted and has an energy efficiency of 80.1%. The control handle is located on the top panel for ease of use.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

| Description. Similine datact gas fire Type of freat. Nation & convected | | |
|---|--------|--------------|
| Useful energy efficiency | | 80.1% |
| Energy efficiency class | | D |
| Fuel type | | Natural gas |
| Direct heat output | | 3.8kW |
| | | |
| Control type | Colour | Model Number |
| To- | Black | FFIRZ1MN |
| Тор | Bronze | FFIRROMN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally







Dimensions







A 658mm B 506mm C 222mm



Firenza in black





Balanced Flue — Hearth Inset – Glass Fronted



Calibre BF

The Calibre Balanced Flue gas fire boasts an energy efficiency of 93.5% and features a full depth coal fuel effect. This glass fronted fire has an exceptionally large viewing area and is available in a choice of brass or chrome.

FBFC1SRN3

FBFC37RN3

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| Useful energy efficiency | | | 93.5% |
|--------------------------|--------------|--------|--------------|
| Energy efficiency class | | | В |
| Fuel type | | | Natural gas |
| Direct heat output | | | 3.9kW |
| Fuel effect | Control type | Colour | Model Number |
| | Manual | Brass | FBFC1SMN2 |
| | Manual | Chrome | FBFC37MN2 |


Brass

Chrome

Safety: Flame Supervision Device Air vent required: Not normally



Dimensions



*Differs on EFC models. An optional flue extension is available to increase maximum length to 1015mm or manual and 973mm on EFC models.



Calibre BF in chrome

Orchestra BF in satin silver

highefficiency Balanced Flue - Hearth Inset - Glass Fronted



Orchestra BF

If you want the warmth and mood created by a living flame fire yet don't have a chimney or flue, then the Orchestra is the perfect solution. This neat, glass fronted inset fire with an energy efficiency of 80% is framed by a chamfered trim and sleek fret.

Specifications

| Description: Slimline inset gas fire Type of Heat: Radiant & Convected | | |
|--|--------------|--------------|
| Useful energy efficiency | | 80% |
| Energy efficiency class | | E |
| Fuel type | | Natural gas |
| Direct heat output | | 2.7kW |
| Control type Colour | | Model Number |
| Manual | Satin Silver | FBFN98G |
| ividiludi | Brass | FBFN76G |

Safety: Flame Supervision Device Air vent required: Not normally



Web Link










Dimensions

I 145mm










Orchestra BF in brass



standardfires

Conventional Flue - Wall Inset - Open Fronted

Windsor Contemporary

The Windsor Wall inset open fronted gas fire is available in a choice of coal or pebble fuel bed and features a large viewing window. This extremely versatile fire will fit into almost any chimney or flue and comes in a chrome finish.

Description: Slimline inset gas fire Type of Heat: Radiant

| Fuel type | | | Natural gas |
|--------------------|---------------|--------|--------------|
| Direct heat output | | | 2.7kW |
| Fuel effect | Control type | Colour | Model Number |
| Coal | Manual | Chrome | FSRCHWMN |
| Pebble | Manual Chrome | Chrome | FSRPHWMN |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

This product is not suitable for primary heating purposes.



Video Pebble

















Dimensions











standardfires

Conventional Flue — Wall Inset — Open Fronted

Finesse

The most versatile hole-in-the-wall gas fire from Flavel. The Finesse will fit virtually any flue and comes with a chrome fascia.


| Description. Similine inset gas tile Type of i | iedt. Nauidiit |
|--|----------------|
| Fuel type | Natural gas |
| Direct heat output | 2.7kW |
| Fuel effect Control type Colour | Model Number |

FSRCYYMN

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally This product is not suitable for primary heating purposes.



Coal





standardfires

Conventional Flue — Hearth Inset – Open Fronted



Caress Slimline

The Caress Slimline gas fire features a fabulous, top quality cast trim and Blenheim fret in a choice of solid cast brass or chrome cast iron.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant

Manual Control

| Fuel type | | Natural gas |
|--------------------|--------|--------------|
| Direct heat output | | 2.7kW |
| Control type | Colour | Model Number |
| Manual | Brass | FSRCBCMN |
| Manual | Chrome | FSRCCCMN |

This product is not suitable for primary heating purposes





Caress Slimline Slide Control A 615mm

B 510mm C 550mm

D 105mm E 325mm

Dimensions

Caress Slimline Manual Control

A 615mm

B 510mm C 550mm

D 120mm E 329mm















standardfires

Conventional — Hearth Inset – Open Fronted

Waverley

The Waverley, with its beautiful decorative flame effect, is a perfect replacement for a solid fuel grate. The 16" tapered inset tray is designed to fit a standard 16" fire back, providing a realistic coal effect for almost any style of fireplace.

Specifications

| Description: Full depth inset tray Type of Heat: Radiant | | | |
|--|--------------|--|--|
| Fuel type | Natural gas | | |
| Direct heat output | 2.7kW | | |
| Control type | Model Number | | |
| Manual | FITCOOMN | | |

Safety: Flame Supervision Device & Airwatch System Air vent required: Not normally

This product is not suitable for primary heating purposes











Dimensions

- B 205mm





Web Link



Windsor Contemporary, & Traditional

The versatile styling of the Windsor gas fires ensures that there is a style to suit any room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858).



Windsor Contemporary Chrome fascia Pebble fuel effect



Windsor Contemporary with Chrome fascia Coal fuel effect



Chrome trim and fret Coal fuel effect



















Specifications

| Description: Slimline inset gas fire | Type of Heat: Radian |
|--------------------------------------|----------------------|

| bescription: Similare inset gas fire Type of t | icat. Radiant |
|--|---------------|
| Fuel type | Natural gas |
| Direct heat output | 2.7kW |

Windsor Contemporary

| Fuel effect | Control type | Colour | Model Number |
|-------------|--------------|--------|--------------|
| Coal | - Manual | Chrome | FSRCUOMN |
| Pebble | | Chrome | FSRPUOMN |

Windsor Traditional

| Fuel effect | Control type | Colour | Model Number |
|-------------|--------------|--------|--------------|
| Coal Manual | Manual | Brass | FSRC1PMN |
| | ivianuai | Chromo | ECDCOLMAN |

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

This product is not suitable for primary heating purposes

Dimensions

| | | B | -D- | |
|--------------|-------------|-------|-----|--------|
| Windsor | Windsor | T | 1 1 | |
| Contemporary | Traditional | | ΙΤП | |
| A 592mm | A 592mm | | / | |
| B 475mm | B 475mm | ! | / | |
| C 550mm | C 550mm | îll l | | |
| D 120mm | D 120mm | | | l. e l |
| E 329mm | E 329mm | | | |







Dimensions

Regent LFE in bronze

A 680mm B 710mm C 255mm

standardfires

Conventional — Hearth Outset – Open Fronted



Regent LFE

One of the most popular radiant fires in the UK, The Regent LFE is slim for a neat fit into an existing fireplace and is highly efficient. It provides radiant and convected heat and is an elegant interpretation of the Regency period.

Specifications

| Description: Full depth outset gas fire | Type of Heat: Radiant |
|---|-----------------------|
|---|-----------------------|

| Useful energy efficiency | | 59.3% | |
|--------------------------|--------|--------------|--|
| Energy efficiency class | | F | |
| Fuel type | | Natural gas | |
| Direct heat output | | 3.3kW | |
| Control type | Colour | Model Number | |
| Electronic Side | Black | FRLCN0EN | |
| Electronic Side | Bronze | FRLCPOEN | |
| | Black | EDI CNODNIO | |

FRLCPORN2

Safety: Flame Supervision Device & Airwatch System



Calculating your Flavel gas fires running costs



Windsor Traditional HE brass

Despite rising fuel prices, natural gas remains the most common and one of the cheapest ways to heat your home.

Since the cost of gas can differ depending on service provider, location and tariff we do not include estimated running costs for our products. However, you can estimate your own running costs easily using the following calculation:-



Example

What is the running cost of the Windsor Traditional HE when used for 3 hours at a cost of 4.2p per kilowatt hour?









Builders' Opening sizes

| | Minimum Opening Width | Maximum Opening Width | Minimum Opening Height | Maximum Opening Height |
|--------------------|--------------------------|--------------------------|---------------------------|---------------------------|
| Product | | | | |
| Calibre BF | 415mm | 420mm | 563mm | 570mm |
| Calypso | 400mm | 450mm | 550mm | 570mm |
| Calypso Plus | 370mm | 440mm | 550mm | 570mm |
| Caress HE | 400mm | 450mm | 550mm | 570mm |
| Caress Plus | 370mm | 440mm | 550mm | 570mm |
| Caress Slimline | 330mm | 440mm | 550mm | 575mm |
| Decadence HE | 370mm | 450mm | 550mm | 570mm |
| Decadence Plus | 370mm | 440mm | 550mm | 570mm |
| Diamond HE | 370mm | 450mm | 550mm | 570mm |
| Emberglow | 305mm | 440mm | 500mm | 650mm |
| Expression Plus | 370mm | 440mm | 550mm | 570mm |
| Finesse | 330mm | 430mm | 550mm | 575mm |
| Firenza | 305mm | 440mm | 510mm | 650mm |
| Jazz HE | 650mm | 660mm | 460mm | 470mm |
| Jazz BF | 635mm | 645mm | 465mm | 475mm |
| Kenilworth HE | 370mm | 450mm | 550mm | 570mm |
| Kenilworth Plus | 370mm | 440mm | 550mm | 570mm |
| Linear HE | 370mm | 450mm | 550mm | 570mm |
| Linear Plus | 370mm | 440mm | 550mm | 570mm |
| Misermatic | 305mm | 440mm | 580mm | 650mm |
| Orchestra BF | 410mm | 420mm | 555mm | 565mm |
| Regent | 305mm | 440mm | 470mm | 650mm |
| Regent LFE | 305mm | 440mm | 525mm | 650mm |
| Renaissance | 305mm | 440mm | 580mm | 650mm |
| Renoir | 305mm | 440mm | 500mm | 650mm |
| Richmond | 400mm | 450mm | 550mm | 570mm |
| Richmond Plus | 400mm | 450mm | 550mm | 570mm |
| Rocco HE | 750mm | 760mm | 520mm | 530mm |
| Rocco BF | 730mm | 780mm | 540mm | 550mm |
| Romance | 400mm | 450mm | 550mm | 570mm |
| Sophia | 760mm | 790mm | 870mm | 880mm |
| Sophia Slimline BF | 750mm | 840mm | 1025mm | 1050mm |
| Strata | 305mm | 440mm | 580mm | 650mm |
| Waverley* | 400mm | 440mm | 550mm | 575mm |
| Waverley** | 560mm | 600mm | 690mm | 720mm |
| Welcome | 305mm | 440mm | 470mm | 650mm |
| Windsor | 330mm | 440mm | 550mm | 575mm |
| Windsor HE | 330mm | 440mm | 550mm | 575mm |
| Windsor Plus | 330mm | 440mm | 550mm | 575mm |
| | | | | |

^{*}when fitted into standard builders opening with existing chair-brick **when fitted with "Victorian" style casting

Online inspiration & information





www.flavelfires.co.uk

Visit our Flavel website on your smart phone or tablet device, just scan in this QR code.

We would like to thank Kedleston Heating (01332 200303), Olde England Reproductions (01782 319350), Stanningley Firesides (0113 257 1512) and GB Mantles (01924 473243) for contributing fire surrounds to this brochure.













At the heart of your home

BFM Europe Limited, Trentham Lakes, Stoke-on-Trent, Staffordshire ST4 4TJ. Tel: 01782 339000. www.flavelfires.co.uk e-mail: info@bfm-europe.com