

# Global fires

GAS FIRES 2024/25



MADE IN BRITAIN





## Welcome to Global

At Global Fires we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of versatile and affordable gas fires to complement all tastes and lifestyles.



I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Global fires carry a 5 year warranty to reflect my belief in their quality and durability, and our experienced Global retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Global fire as simple as possible. I hope you will find it both informative and inspiring.



Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and services. Every Global branded gas fire is designed and developed in our ultramodern purpose built, British manufacturing facility in Stoke-on-Trent.



### 5 Year Warranty

Global gas fires carry a 5 year warranty, subject to terms and conditions.



### Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

The BSI is an independent organisation. They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are recognised internationally for their technical expertise, quality services and in-depth knowledge of gas and electrical product testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.



### Ecodesign compliant

This logo signifies that the product is fully compliant with the Eco design directive Commission Regulation (EU) 2015/1188.



Tested & Approved  
Conforms to GB legislation



## Using this brochure

Before you begin please take a moment to read page 6 and establish the type of chimney or flue you have in your home and the control type which would be most suitable for your needs. As you browse through our product range you can easily identify if a gas fire is suitable for you by checking the icons on each page.

Unless otherwise stated, our hearth inset fires come complete with a Profiled trim in your choice of brass, chrome, satin silver or black finish. Complete the look of your chosen fire with any of our traditional or contemporary fret designs. You may also be able to upgrade to a different trim, or for a more modern look, one of our fascia options. See pages 16-18 to find out which accessories are suitable for your chosen fire.

Welcome to Global.....	2-3
Contents.....	4
Efficiencies .....	5
Before you begin .....	6

## high efficiency

### Conventional Flue

Wall Inset – Glass Fronted	
Delta HE.....	7

### Hearth Inset – Glass Fronted

Saranda HE.....	8
Karara HE.....	9
Fantasy HE .....	10

### Hearth Inset – Open Fronted

Fantasy Plus .....	11
Arana Plus .....	12
Corda Plus.....	13

### Balanced Flue

Hearth Inset – Glass Fronted	
Fantasy BF .....	14

## standard fires

### Conventional Flue

Hearth Inset – Open Fronted	
Fantasy .....	15

### Accessories

Trims.....	16
Frets.....	17
Fascias .....	18

## high efficiency

Get up to 93.5% energy efficiency from your gas fire...

Global Fires have set new industry standards with the introduction of the high efficiency range: exceptional heat output combined with lower running costs compared to standard gas fires.

Our team has invested in developing the technology to meet the key objective of producing gas fires that save energy and as a result, help to keep costs down.

### Conventional Flue Fires

#### Glass Fronted Fires



Saranda HE 86%..... 8

#### Open Fronted Fires



Fantasy Plus 68.3%..... 11

### Balanced Flue Fires

#### Glass Fronted Fires



Fantasy BF 93.5%..... 14

Our range of high efficiency conventional flue fires have an energy efficiency of up to 86%. These types of fires have a glass panel across the front which concentrates the radiant heat generated from the fuel bed, and forces it directly into the room with less heat lost through the chimney. Convected heat is also produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, making these the most efficient conventional flue fires available.

Our high efficiency conventional flue open fronted fires can reach an energy efficiency of up to 68.3%. These fires provide the look and feel of a real open fire providing both radiant and convected heat. Radiant heat is emitted from the fuel bed and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air through the gap above the canopy.

Our range of high efficiency balanced flue fires have an energy efficiency of up to 93.5%. Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home. A balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. These types of fires are glass fronted, completely room sealed appliances, and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes.

## standard fires

### Conventional Flue Fires

#### Open Fronted Fires



Fantasy..... 15

Standard fires can achieve a direct heat output of up to 2.7kW. It is recommended that these products are not suitable for use as a primary heat source, but are ideal if you are looking for a great fireplace feature for occasional use.

## Before you begin...

### Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. But if you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



#### Brick Chimney

Apart from products designed for 'no chimney' applications, all Global products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



#### Pre-Fabricated Flue

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.




#### Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Global fires featuring this icon are only suitable for pre-cast flues conforming to BS EN 1858.

### Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described above, then you will require a Balanced Flue fire.



#### Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

### Controls



#### Manual Control

Simple and discreet. The control system is located at the bottom of the fire behind the fret or fascia. Once the fire is lit rotate the control knob to adjust the flame height and heat output.



#### Slide Control

A convenient control system which is located on the top right-hand side of the fire. Push and hold the lever down to ignite and move it up and down to adjust the flame height and heat output.



#### Easy Flame Control (EFC)

Discreet, easy access buttons are used to ignite the fire and adjust heat and flame height.



#### Remote Control

The remote control handset is used to light the fire as well as to adjust the flame height and heat output.



#### Remote Control with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature.

### Fuel Bed Effects



Coal



Pebble



Log

### Back Panels



Plain Black



Brick Effect

### Gas Supply

All our products are designed to run on Natural Gas.



#### Natural Gas

If you have a gas meter then you will have natural gas.



Delta HE Wall Inset coal

Delta HE Wall Inset \*pebble



Web Link



Natural Gas



Brick Chimney



Pre-Fabricated



Thermostatic Remote



Coal



Pebble



Plain Black

\*Optional extra

## high efficiency Conventional Flue

Wall Inset – Glass Fronted

## Delta HE



This portrait hole-in-the-wall fire features a striking chrome fascia and a 3.4kW heat output. The Delta HE wall inset is the ideal solution for smaller rooms where space is at a premium.

The glass fronted Delta HE is operated by thermostatic remote control and comes with a coal fuel bed.

### Specifications


Description: Mid depth inset gas fire  
Type of Heat: Radiant & Convected

Useful energy efficiency	84.3%
Energy efficiency class	C
Fuel type	Natural gas
Direct heat output	3.4kW

Fuel effect	Control type	Model Number
Coal	Remote	GHKC56RN3

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

### Dimensions





**high efficiency** Conventional Flue

Hearth Inset – Glass Fronted

**Saranda HE**



If you're looking for a gas fire with efficiency in mind this has to be the product for you. The Saranda HE glass fronted fire features our most realistic full depth coal effect fuel bed and boasts an energy efficiency of 86%. With an impressive 3.9kW output the Saranda HE keeps your heat high and your fuel costs low.

Full range of trims, frets and fascias available. See pages 16-18

**Specifications**


Description: Full depth inset gas fire  
Type of Heat: Radiant & Convected

Useful energy efficiency	86%
Energy efficiency class	C
Fuel type	Natural gas
Direct heat output	3.9kW

Fuel effect	Control type	Model Number
Coal	Manual	GHEC00MN
	Slide	GHEC00SN
	Remote	GHEC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

**Dimensions**



Saranda HE, Arcadia fascia in black & gold

Natural Gas
 Brick Chimney
 Pre-Fabricated
 Manual
 Slide
 Thermostatic Remote
 Coal
 Plain Black
 Web Link

**high efficiency** Conventional Flue

Hearth Inset – Glass Fronted

**Karara HE**



The slimline Karara HE is the high energy efficiency solution for almost any flue type. Suitable for brick chimney, pre-fabricated and pre-cast flues, this glass fronted product delivers an amazing 2.9kW heat output and has an energy efficiency of 81.3%.

Full range of trims, frets and fascias available. See pages 16-18

**Specifications**


Description: Slimline inset gas fire  
Type of Heat: Radiant & Convected

Useful energy efficiency	81.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	2.9kW

Fuel effect	Control type	Model Number
Coal	Manual	GSHC00MN
	Slide	GSHC00SN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

**Dimensions**



Karara HE coal, Contemporary fascia in satin silver

Karara HE \*pebble  
Manual control only  
Contemporary fascia in chrome

Natural Gas
 Brick Chimney
 Pre-Fabricated
 Pre-Cast
 Manual
 Slide
 Coal
 Pebble
 Plain Black
 \*Optional extra
 Web Link



**high**efficiency **Conventional Flue**

Hearth Inset – Glass Fronted

**Fantasy HE**



The Fantasy HE features a highly realistic full depth fuel bed and will fit most chimney and flue applications, including pre-cast when fitted with a 3" rebated surround. This glass fronted fire provides an impressive 3.4kW heat output and 84.3% energy efficiency. With a coal fuel effect and manual, slide or thermostatic remote control, you will certainly find a model to suit your taste and needs.

Full range of trims, frets and fascias available. See pages 16-18

**Specifications**


Description: Mid depth inset gas fire  
Type of Heat: Radiant & Convected

	Manual/Slide	Remote
Useful energy efficiency	84.3%	84.3%
Energy efficiency class	D	C
Fuel type	Natural gas	Natural gas
Direct heat output	3.4kW	3.4kW

Fuel effect	Control type	Model Number
Coal/Pebble	Manual	GHKC00MN2
	Slide	GHKC00SN2
	Remote	GHKC00RN3

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

**Dimensions**



Dimensions A & B refer to Profiled trim only.  
2 inch black spacer available on this product. Part no. B-1003890  
Spacer not suitable with cast iron trims or fascias.



Fantasy HE \*pebble  
Dalliance fascia in chrome

Fantasy HE coal with Dalliance fascia in chrome

Natural Gas
 Brick Chimney
 Pre-Fabricated
 Pre-Cast
 Manual
 Slide
 Thermostatic Remote
 Coal
 Pebble
 Plain Black

\*Optional extra

Web Link



Fantasy Plus coal, Signature fascia in black nickel & black

Fantasy Plus \*pebble, Signature trim,  
Grace fret in satin silver & chrome

Natural Gas
 Brick Chimney
 Pre-Fabricated
 Pre-Cast
 Manual
 Slide
 Remote
 Coal
 Pebble
 Plain Black

\*Optional extra

Web Link

**high**efficiency **Conventional Flue**

Hearth Inset – Open Fronted

**Fantasy Plus**



The Fantasy Plus boasting an amazing 68.3% energy efficiency can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a highly realistic coal fuel effect and is available in manual, slide or remote control.

Full range of trims, frets and fascias available. See pages 16-18

**Specifications**


Description: Mid depth inset gas fire  
Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Fuel effect	Control type	Model Number
Coal/Pebble	Manual	GKPC00MN
	Slide	GKPC00SN
	Remote	GKPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

**Dimensions**



Dimensions A & B refer to Profiled trim only.  
2 inch black spacer available on this product. Part no. B-1003890  
Spacer not suitable with cast iron trims or fascias.



## high efficiency Conventional Flue

Hearth Inset – Open Fronted

### Arana Plus



The Arana Plus is our first full depth open-fronted high efficiency gas fire. You can now achieve the look of a real open coal fire at an incredible 66.7% energy efficiency. Suitable for installation into standard chimneys the Arana Plus comes in a choice of manual, slide or remote control and can be styled with our wide choice of accessories.

Full range of trims, frets and fascias available. See pages 16-18

#### Specifications


Description: Full depth inset gas fire  
Type of Heat: Radiant & Convected

Useful energy efficiency	66.7%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.1kW

Fuel effect	Control type	Model Number
Coal	Manual	GOPC00MN
	Slide	GOPC00SN
	Remote	GOPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally


#### Dimensions



Dimensions A & B refer to Profiled trim only



Arana Plus, Signature trim in brass & black, Blenheim fret in antique brass



Web Link




Corda Plus coal, Deluxe Contemporary fascia in satin silver



Corda Plus \*pebble, Deluxe Contemporary fascia in satin silver



Web Link



\*Optional extra

## high efficiency Conventional Flue

Hearth Inset – Open Fronted

### Corda Plus



The Corda Plus is one of the most efficient open-fronted slimline gas fires available today and with a heat output of up to 4kW it is also one of the warmest products suitable for a pre-cast flue.

The Corda Plus is available in a choice of manual, slide, or remote control. This extremely versatile fire can be styled with a wide range of Global accessories.

Full range of trims, frets and fascias available. See pages 16-18

#### Specifications


Description: Slimline inset gas fire  
Type of Heat: Radiant & Convected

	Manual	Remote
Useful energy efficiency	66.8%	66.8%
Energy efficiency class	F	F
Fuel type	Natural gas	Natural gas
Direct heat output	4.0kW	3.8kW

Fuel effect	Control type	Model Number
Coal/Pebble	Manual	GSPC00MN
	Slide	GSPC00SN
	Remote	GSPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

#### Dimensions



Dimensions A & B refer to Standard trim only.  
Comes with a 1 inch space as standard. 2 inch black spacer is available  
Part no. 1146-1036278B  
Spacer not suitable with cast iron trims or fascias.



## high efficiency Balanced Flue

Hearth Inset – Glass Fronted

### Fantasy BF



The Fantasy Balanced Flue is the perfect solution for those who like the look of a full depth fire but don't have a standard chimney or flue in their home. With 93.5% energy efficiency, this glass fronted fire is the most efficient product in our range and offers an impressive 3.9kW heat output.

This fire can be installed easily into most standard cavity walls when fitted with a 3" rebated fire surround.

Full range of trims, frets and fascias available. See pages 16-18

### Specifications


Description: Full depth inset gas fire  
Type of Heat: Radiant & Connected

Useful energy efficiency	93.5%
Energy efficiency class	B
Fuel type	Natural gas
Direct heat output	3.9kW

Fuel effect	Control type	Model Number
Natural Gas	Manual	GBFC00MN2
	Easy Flame	GBFC00EN3
Coal	Remote	GBFC00RN3
	Manual	GBFL00MN
Log	Manual	GBFL00MN
	Remote	GBFL00RN

Safety: Flame Supervision Device  
Air vent required: No

### Dimensions



Dimensions A & B refer to Profiled trim only. \*Dimensions differ on Easy Flame control models. Refer to installation manual. Optional flue extension available to increase the maximum flue length to 1010mm on manual models and 973mm on Easy Flame models.

This product comes with a standard 20mm black spacer, a 2 inch black spacer is available on this product. Part no. 1126-1036286B (not suitable for EFC model)  
Spacer not suitable with cast iron trims or fascias.



Fantasy BF logs, Signature trim  
Daisy fret in satin silver & chrome

Fantasy BF coal, Signature trim in black nickel & black, Daisy fret in black nickel



Web Link

## standardfires Conventional Flue

Hearth Inset – Open Fronted

### Fantasy



The Fantasy features an outstanding coal or pebble fuel effect and beautiful flame picture. This open-fronted fire provides a maximum heat output of 2.7kW and can be installed into most chimney or flues, including precast (BS EN 1858) when fitted with a 3"/75mm rebated surround.

Full range of trims, frets and fascias available. See pages 16-18

### Specifications

Description: Mid depth inset gas fire  
Type of Heat: Radiant


Conventional	
Direct Heat Output	2.7kW
Fuel type	Natural gas

Fuel effect	Control type	Model Number
Coal	Manual	GRDC00MN
Coal	Slide	GRDC00SN
Coal	Remote	GRDC00RN2

This product is not suitable for primary heating purposes

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

### Dimensions



Dimensions A & B refer to Profiled trim only.



Fantasy Coal, Signature trim in satin silver & chrome, Daisy fret in satin silver & chrome

Fantasy \*Pebble,  
Deluxe Contemporary  
fascia in satin silver



Web Link



\*Optional extra



## Fascia options

### Arcadia

The Arcadia is a one-piece cast iron fascia in a combination of black painted with optional colour plated finish. Suitable for all Global hearth inset gas fires. Unsuitable for Easy Flame Control systems.



BLACK & GOLD



BLACK & CHROME

### Contemporary

The Contemporary is a one-piece fabricated steel fascia. Suitable for all Global hearth inset gas fires excluding Arana Plus and Fantasy BF. Unsuitable for slide control or Easy Flame Control systems.



BRASS



CHROME



SATIN SILVER

### Embrace

The Embrace fascia is a one-piece cast iron fascia in a combination of black painted and optional colour plated finish. Suitable for all Global hearth inset gas fires. Unsuitable for Easy Flame Control systems.



GOLD & BLACK



CHROME & BLACK



BLACK NICKEL & BLACK

### Deluxe Contemporary

The Deluxe Contemporary is a one-piece fabricated steel fascia with angled form. Suitable for all Global hearth inset gas fires excluding Fantasy BF. Unsuitable for slide control systems.



SATIN SILVER



MATT BLACK

### Dalliance

The Dalliance is a one-piece fabricated steel fascia.

#### HEARTH INSET

Suitable for all Global hearth inset gas fires.



CHROME



SATIN SILVER



MATT BLACK

### Delta

The Delta is a one-piece fabricated steel fascia.

#### WALL INSET

Suitable for Delta HE. Unsuitable for slide control systems.



CHROME

### Signature

The Signature is a one-piece fabricated steel fascia. Suitable for all Global hearth inset gas fires.

Brass & Black finish is unsuitable for Fantasy BF.



BRASS & BLACK



CHROME & BLACK



SATIN SILVER & CHROME



BLACK NICKEL & CHROME



BLACK NICKEL & BLACK

## Fret options

### Blenheim 16"



BRASS



ANTIQUE BRASS



CHROME



ANTIQUE CHROME




MATT BLACK

### Daisy 16"



ANTIQUE BRASS



SATIN SILVER & CHROME



BLACK NICKEL

### Aviva 16"



CHROME



BLACK NICKEL

### Grace 16"



BRASS



CHROME



SATIN SILVER & CHROME

### Bauhaus 18"



GOLD



CHROME



SATIN SILVER

### Aegis 18"



BRASS



SATIN SILVER



BLACK



BLACK NICKEL



MATT BLACK

Traditionally Styled Frets

Contemporary Styled Frets



## Trim options

### Signature

The Signature is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires. Brass & Black finish is unsuitable for Fantasy BF model.



BRASS & BLACK



CHROME & BLACK



SATIN SILVER & CHROME



BLACK NICKEL & CHROME



BLACK NICKEL & BLACK

### Profiled

The Profiled is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires.



BRASS



CHROME



SATIN SILVER



BLACK

### Standard

The Standard is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires.



BRASS



CHROME



SATIN SILVER



BLACK

### Ultimo

The Ultimo is a cast iron trim with a black painted and optional colour plated finish. Suitable for all Global hearth inset gas fires. Unsuitable for Easy Flame Control systems.



GOLD & BLACK



CHROME & BLACK



BLACK NICKEL & BLACK

### Curved

The Curved trim is made from a high quality extruded aluminium and is available in a black paint finish. Suitable for all Global hearth inset gas fires. Unsuitable for Slide control models.



BLACK

### Spacer

A black finished 2 inch spacer is available for the following gas fire models.

**Please note a spacer is unsuitable if the product is to be fitted with a cast iron trim or fascia.**

FANTASY HE B-1003890  
FANTASY PLUS B-1003890  
FANTASY B-1003890

FANTASY BF 1126-1036286B

CORDA PLUS 1146-1036278B



## Online inspiration & information

Tap into a wealth of knowledge and discover everything you need to know about purchasing, fitting & servicing your Global fire.

- \* Search tools to find your perfect gas fire
- \* Find your nearest approved Global stockist
- \* Download installation and user manuals
- \* Register your warranty

[www.globalgasfires.co.uk](http://www.globalgasfires.co.uk)

Visit our Global website on your smart phone or tablet device, just scan in this QR code.



**Global**  
fires





WARNING BFM Europe Limited is a Gas Safe Register company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.  
DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types. We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure. We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat. In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present. (This brochure is copyrighted and must not be reproduced in whole or in any part without prior written permission).



BFM Europe Ltd, Gordon Banks Drive, Trentham Lakes, Stoke-on-Trent ST4 4TJ  
Tel: 01782 339000 [www.globalfires.co.uk](http://www.globalfires.co.uk) Email: [sales@bfm-europe.com](mailto:sales@bfm-europe.com)