

FLAVEL

At the heart of your home

Gas Fires
2025



BRITISH MANUFACTURING





At the heart of your home

Welcome to Flavel



BFM Europe
BRITISH FIRE MANUFACTURERS

Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Flavel branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



At Flavel, we understand the importance of creating a stylish and relaxing living space. That's why we've designed this affordable collection of gas fires to suit all tastes and lifestyles. Our success comes from combining innovative design, advanced technology, and top-quality manufacturing standards. With this confidence, all Flavel gas fires come with a 5-year warranty, reflecting our commitment to quality and durability.

This brochure has been designed to make the purchase of your new Flavel gas fire as simple as possible. I hope you will find it both informative and inspiring.



Flavel gas fires carry a 5 year warranty, subject to terms and conditions.



Flavel products are fully compliant with the Eco design directive Commission Regulation (EU) 2015/1188.

bsi. Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

The BSI is an independent organisation. They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are recognised internationally for their technical expertise, quality services and in-depth knowledge of gas and electrical testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.



Tested & Approved
Conforms to GB legislation

Guide to efficiencies and fire types 6-7
 Before you Begin - guide to icons 8-9

high efficiency

Conventional Flue

Fireplace Suites – Glass Fronted

Sophia Suite 10

Wall Inset – Glass Fronted

Rocco HE 12
 Jazz HE 13
 Diamond HE 14-15
 Windsor Contemporary HE 16

Wall Inset – Open Fronted

Windsor Contemporary Plus 17

Hearth Inset – Glass Fronted

Romance 18-19
 Caress HE 20
 Decadence HE 21
 Kenilworth HE 22
 Linear HE 23
 Windsor Contemporary HE 24
 Windsor Traditional HE 25

Hearth Inset – Open Fronted

Richmond Plus & Richmond 26
 Caress Plus 27
 Calypso Plus 28
 Rhapsody Plus 29
 Decadence Plus 30
 Linear Plus 31
 Kenilworth Plus 32
 Expression Plus 33
 Windsor Contemporary Plus 34
 Windsor Traditional Plus 35

Hearth Outset – Glass Fronted

Emberglow 36
 Renoir 37

Hearth Outset – Open Fronted

Strata 38
 Misermatic 39
 Renaissance 40
 Firenze 41
 Regent 42



Balanced Flue

Fireplace Suites – Glass Fronted

Sophia Slimline BF Suite 11

Wall Inset – Glass Fronted

Rocco BF 12
 Jazz BF 13

Hearth Outset – Glass Fronted

Emberglow BF 32

Hearth Inset – Glass Fronted

Orchestra BF 43
 Calibre BF 44



standard fires

Conventional Flue

Wall Inset – Open Fronted

Windsor Contemporary 45

Hearth Inset – Open Fronted

Caress Slimline 46
 Waverley 47
 Windsor Contemporary,
 & Traditional 48

Hearth Outset – Open Fronted

Regent LFE 49

Builders' Opening Sizes 50

Online inspiration 51



high efficiency

Get up to 93.5% energy efficiency from your gas fire...

Flavel is a British manufacturer with a reputation for excellent quality gas fires. Our R&D team continue to invest in developing new technology to produce gas fires that save energy and as a result, help to keep costs down.

The Flavel high efficiency range combines exceptional heat output with lower running costs compared to standard gas fires.

Conventional Flue

Glass Fronted



Our glass fronted high efficiency conventional flue fires have an energy efficiency of up to 86.3%. The glass panel across the front which concentrates radiant heat generated from the fuel bed and forces it directly into the room with less heat lost through the chimney. Convected heat is also produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, making these the most efficient conventional flue fires available.

Open Fronted



Our open fronted high efficiency conventional flue fires can reach an energy efficiency of up to 68.3%. These fires provide the look and feel of a real open fire providing both radiant and convected heat. Radiant heat is emitted from the coal effect fuel bed and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air through the gap above the canopy.

Balanced Flue

Glass Fronted



Our glass fronted high efficiency balanced flue fires have an energy efficiency of up to 93.5%. Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home, a balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. They are glass fronted, completely room sealed appliances and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes.

Fires for every home

What type of Flavel fire will suit your home best?

From traditional to contemporary, slimline to full depth, we have models to suit all types of situation and installation. There is a Flavel fire to make anywhere feel like home.

Browse through the fire options below, then use the guide on page 8 to help you identify which type of chimney or flue you have. Every product page displays icons to identify flue suitability, fuel type, control options, and more.

Wall Inset



To complement a contemporary home choose a wall inset product, otherwise known as a hole-in-the-wall fire. We have models available for all chimney and flue types.

Hearth Inset



A hearth inset fire saves space as it is recessed into the chimney breast or flue. Available in a choice of slimline or full depth fuel beds, with balanced flue options for homes without a chimney or flue.

Fireplace Suite



A Suite really makes a statement in a room and comes complete with the surround and gas fire suitable for balanced flues.

Hearth Outset



Set onto a hearth this type of fire takes a more prominent position in a room with some models offering the option of side windows so that the flame pattern can be seen from wider angles.

standardfires



Standard fires can achieve a direct heat output of up to 3.1kW. It is recommended that these products are not suitable for use as a primary heat source, but are ideal if you are looking for a great fireplace feature for occasional use.

Before you begin

Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. If you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



Brick Chimney - Class 1 Flues

Apart from products designed for "no chimney" applications, all Flavel products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue - Class 2 Flues

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Flavel fires featuring this icon are only suitable for Pre-Cast flues conforming to BS EN 1858.

Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described on the left, then you will require a Balanced Flue.



Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Gas Supply

Your gas supply will either be natural gas or LPG, depending on the area in which you live.



Natural Gas

If you have a gas meter then you will have natural gas.



LPG

LPG is the most popular alternative to natural gas.

Controls




Manual Control

A simple and discreet control system located behind the fire's trim or fret on inset fires and the bottom right side on outsets.



Semi Remote Control

Light the fire using the manual control system then use the remote control handset to adjust the flame height and heat output.



Slide Control

Convenient control that eliminates the necessity of bending down.



Electronic Flame Control

Discreet easy access buttons are used to ignite the fire and adjust heat and flame height.



Top Control

A push down and twist ignition and control located on the top of outset fires means you don't have to bend down to light the fire.




Remote Control with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. Thermostatic control function can also regulate room temperature.



Remote Control

The remote control handset is used to light the fire as well as adjust the flame height and heat output.



Electronic Top or Side Control System

Both ignition and heat are controlled by a single rotary motion to light the fire. These easy to use controls are now available on our best selling radiant outsets. Requires an AA battery.



Coal



Pebble



Logs



Plain Black



Glossy Black Enamel



Ribbed Black

Sophia Suite

The Sophia suite features a large high efficiency gas fire, and is framed with a beautifully designed Royal Botticino marble surround. This suite benefits from a non-reflective glass front, that delivers an uninterrupted view of the log fuel effect.

This suite is available in a conventional flue or slimline balanced flue version, and is operated by a multifunctional remote control handset. The remote control system includes a thermostatic operation that automatically adjusts the heat output up or down to maintain your desired pre-set temperature. There is also a wake/sleep timer function which lets you specify when the fire will automatically turn on and turn off.

For optimum efficiency the Sophia conventional flue model comes with a built in electronic fan that is used to circulate convected heat around the room.



Sophia Slimline balanced flue



Sophia Suite conventional flue

Specifications

Description: Full depth fireplace suite Type of Heat: Radiant & Convected

| | Conventional | Balanced |
|--------------------------|--------------|-------------|
| Useful energy efficiency | 82% | 87.2% |
| Energy efficiency class | D | C |
| Fuel type | Natural gas | Natural gas |
| Direct heat output | 5.6kW | 4.3kW |



Video BF




Video CF

| Control type | Model Number |
|--------------|--------------------------------------|
| Remote | FDCLRBRN2+B-163230 FSBLBTRN+B-179830 |

Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue models)


Air vent required: Not normally

Dimensions



Balanced Flue

| | | |
|----------|---------|----------|
| A 1232mm | E 154mm | I 694mm |
| B 1450mm | F 410mm | J 960mm |
| C 200mm | G 746mm | K 1450mm |
| D 1020mm | H 550mm | |



Conventional Flue

| | | |
|----------|----------|---------|
| A 1233mm | E 1450mm | I 200mm |
| B 1480mm | F 793mm | J 410mm |
| C 739mm | G 921mm | K 727mm |
| D 185mm | H 352mm | L 727mm |





Rocco HE in chrome



Jazz HE in black

high efficiency Conventional & Balanced Flue – Wall Inset – Glass Fronted



Rocco HE

This stunning glass fronted hole-in-the-wall fire features a realistic log fuel effect and comes in a choice of chrome or black trim options.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | Conventional | Balanced |
|--------------------------|--------------|-------------|
| Useful energy efficiency | 73.9% | 80.8% |
| Energy efficiency class | E | E |
| Fuel type | Natural gas | Natural gas |
| Direct heat output | 3.6kW | 5.5kW |

| Control type | Colour | Model Number | |
|--------------|--------|--------------|-----------|
| Remote | Chrome | FPHL21RN2 | |
| | Black | FPHL22RN2 | FBFL22RN3 |

Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue models)

Air vent required: Not normally




Video CF



Video BF



Dimensions * Semi remote control, balanced flue model only.



Rocco BF
A 613mm
B 910mm
C 515mm
D 350mm
E 725mm



Rocco BF with black trim

high efficiency Conventional & Balanced Flue – Wall Inset – Glass Fronted



Jazz HE

This stunning glass fronted hole-in-the-wall fire has petite dimensions and a highly realistic log fuel effect. Both the Jazz HE and balanced flue models feature a black enamel back and high quality trims.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | Conventional | Balanced |
|--------------------------|--------------|-------------|
| Useful energy efficiency | 81.4% | 83.9% |
| Energy efficiency class | D | D |
| Fuel type | Natural gas | Natural gas |
| Direct heat output | 3.2kW | 4.2kW |

| Control type | Colour | Model Number | |
|--------------|--------|--------------|----------|
| Remote | Chrome | FHCL21RN | FJBL21RN |
| | Black | FHCL22RN | |

Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue models)

Air vent required: Not normally




Video CF



Video BF



Dimensions * Semi remote control, balanced flue model only.



Jazz HE
A 549mm
B 810mm
C 460mm
D 315mm
E 631mm

Jazz BF
A 549mm
B 810mm
C 460mm
D 295mm
E 631mm



Jazz HE with chrome trim

Diamond HE

As Flavel's debut high efficiency hole-in-the-wall fire, the Diamond HE is a contemporary and economical heating solution with an energy efficiency of 84.3%. This glass fronted fire features the stunning chrome and black 'Diamond' fascia design and is available with a choice of coal or pebble fuel effect.



Diamond HE
with pebble fuel effect

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 84.3% |
| Energy efficiency class | C |
| Fuel type | Natural gas |
| Direct heat output | 3.4kW |

| Fuel effect | Control type | Model Number |
|-------------|--------------|--------------|
| Coal | Remote | FHDCOORN3 |
| Pebble | | FHDP0ORN3 |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Dimensions




Diamond HE Coal fuel effect



Video
Pebble



Video
Coal





Windsor Contemporary HE with pebble fuel effect



Windsor Contemporary Plus with coal fuel effect

high efficiency Conventional Flue – Wall Inset – Glass Fronted



Windsor Contemporary HE

The Windsor Contemporary glass fronted high efficiency wall inset gas fire comes with the option of a coal or pebble fuel bed and features a large viewing window and chrome fascia. This extremely versatile fire will fit into almost any chimney or flue.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 81.3% |
| Energy efficiency class | D |
| Fuel type | Natural gas |
| Direct heat output | 2.9kW |


| Fuel effect | Control type | Model Number |
|-------------|--------------|--------------|
| Coal | Manual | FSHCHWMN |
| Pebble | | FSPPHWMN |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Dimensions

- A 671mm
- B 512mm
- C 550mm
- D 125mm
- E 327mm



Windsor Contemporary HE with coal fuel effect



Video Pebble



Video Coal

high efficiency Conventional Flue – Wall Inset – Open Fronted



Windsor Contemporary Plus

The Windsor Contemporary wall inset gas fire is also available as an open fronted model featuring a large viewing window and chrome fascia. There is a choice of a coal or pebble fuel bed and this very versatile fire will fit into almost any chimney or flue.


Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 66.8% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 4.0kW |


| Fuel effect | Control type | Model Number |
|-------------|--------------|--------------|
| Coal | Manual | FSPCHWMN |
| Pebble | | FSPPHWMN |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Dimensions

- A 671mm
- B 512mm
- C 550mm
- D 125mm
- E 327mm



Windsor Contemporary Plus with pebble fuel effect



Video Pebble



Video Coal



Romance

Romance is an exceptionally stylish and impressive natural log fuel effect gas fire.

This glass fronted fire is available in two control options, remote, or manual, both delivering an exceptional heat output of 4.0kW, with a high efficiency rating upto 82.6%. The Romance is designed with a large clear glass window to provide wide-angle views of the lively full depth log burning fuel effect.

This stunning gas fire is further complemented with a choice of uniquely designed fascias, and are available in Black Nickel & Black, Black Nickel & Chrome, and Satin Silver & Chrome.



Romance
Black Nickel & Chrome

Romance
Satin Silver & Chrome

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | | |
|--------------------------|-----------------|-----------------|
| Useful energy efficiency | Remote 82.6% | Manual 82.3% |
| Energy efficiency class | C | D |
| Fuel type | Natural gas | |
| Direct heat output | 4.0kW | |
| Colour | Model Number | Model Number |
| Black Nickel & Chrome | FLBLBCRN | FLBLBCMN |
| Black Nickel & Black | FLBLNBRN | FLBLNBMN |
| Satin Silver & Chrome | FLBLSCRN | FLBLSCMN |

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

Dimensions




2 inch black spacer available on this product. Part no. 1200-1017681P



Black Nickel & Black



Video





Caress HE Traditional in brass



Decadence HE in chrome

high efficiency Conventional Flue – Hearth Inset – Glass Fronted



Caress HE

The Caress HE glass fronted gas fire features an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or chrome cast iron. It features a heat output of up to 4kW and an energy efficiency of up to 86.3%.

LPG model available for homes without a natural gas supply.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 86% |
| Energy efficiency class | C |
| Fuel type | Natural gas |
| Direct heat output | 3.9kW |

| Control type | Colour | Model Number | |
|--------------|--------|--------------|-------------|
| | | Contemporary | Traditional |
| Slide | Brass | | FHEC41SN |
| | Chrome | FHEC6RSN | |
| Remote | Brass | | FHEC11RN2 |
| | Chrome | FHEC3RRN2 | |


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally




Video Traditional



Video Contemporary



Dimensions



Caress HE Contemporary in chrome

high efficiency Conventional Flue – Hearth Inset – Glass Fronted



Decadence HE

The Decadence HE high efficiency glass fronted gas fire with an energy efficiency of 84.3%. It is available in a choice three beautiful high quality cast iron fascias - gold, chrome or black nickel plated finishes.

Specifications

Description: Full depth inset gas fire
Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| | Remote |
| Useful energy efficiency | 84.3% |
| Energy efficiency class | C |
| Fuel type | Natural gas |
| Direct heat output | 3.4kW |

| | |
|--------------|-----------|
| Gold | FHKCDBRN3 |
| Chrome | FHKDCRN3 |
| Black Nickel | FHKCDNRN3 |


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video



Dimensions



Gold



Black nickel



Kenilworth HE in black



high efficiency Conventional Flue – Hearth Inset – Glass Fronted



Kenilworth HE

The Kenilworth gas fire features a welcoming full depth coal fuel effect and will fit most chimney and flue types including a pre-cast flue with a 3" rebate on the fire surround.

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | Manual | Remote |
|--------------------------|-------------|-------------|
| Useful energy efficiency | 84.3% | 84.3% |
| Energy efficiency class | D | C |
| Fuel type | Natural gas | Natural gas |
| Direct heat output | 3.4kW | 3.4kW |


| Colour | Model Number | |
|--------|--------------|-----------|
| Brass | FHKC14MN2 | FHKC14RN3 |
| Black | FHKC26MN2 | FHKC26RN3 |
| Chrome | FHKC37MN2 | FHKC37RN3 |

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally



Dimensions



2 inch black spacer available on this product. Part no. B-1003890



Kenilworth HE in brass



Kenilworth HE in chrome



Web Link

high efficiency Conventional Flue – Hearth Inset – Glass Fronted



Linear HE

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 84.3% |
| Energy efficiency class | D |
| Fuel type | Natural gas |
| Direct heat output | 3.4kW |


| Fuel effect | Control type | Colour | Model Number |
|-------------|--------------|--------|--------------|
| Coal | Manual | Chrome | FHLCX0MN2 |

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally



Dimensions



2 inch black spacer available on this product. Part no. B-1003890



Web Link



Windsor Contemporary HE in chrome with Coal fuel effect



Windsor Traditional HE in brass

high efficiency Conventional Flue – Hearth Inset – Glass Fronted



Windsor Contemporary HE

Stunning styling makes the Windsor Contemporary glass fronted high efficiency gas fire the centrepiece of your room. This slimline model will fit almost any chimney or flue, including pre-cast (BS EN 1858), and comes with a smart chrome fascia.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 81.3% |
| Energy efficiency class | D |
| Fuel type | Natural gas |
| Direct heat output | 2.9kW |

| Fuel effect | Control type | Colour | Model Number |
|-------------|--------------|--------|--------------|
| Coal | Manual | Chrome | FSHCU0MN |
| Pebble | | Chrome | FSHPU0MN |

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally



Video
Pebble




Video
Coal



Dimensions

A 592mm
B 475mm
C 550mm
D 125mm
E 327mm



Windsor Contemporary HE
in Chrome Pebble

high efficiency Conventional Flue – Hearth Inset – Glass Fronted



Windsor Traditional HE

The Windsor Traditional HE glass fronted gas fire offers exceptional heat output of 2.9kW with an energy efficiency of 81.3% and is available in manual or slide control.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 81.3% |
| Energy efficiency class | D |
| Fuel type | Natural gas |
| Direct heat output | 2.9kW |


| Control type | Colour | Model Number |
|--------------|--------|--------------|
| Manual | Brass | FSHC11MN |
| | Chrome | FSHC3JMN |
| Slide | Brass | FSHC11SN2 |
| | Chrome | FSHC3JSN2 |

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally




Video



Dimensions

A 592mm
B 475mm
C 550mm
D 125mm
E 327mm



Windsor Traditional HE
in Chrome



Richmond Plus in brass

Richmond in brass



Caress Plus Contemporary in chrome

high efficiency Conventional Flue – Hearth Inset – Open Fronted



Richmond Plus & Richmond

You can now achieve the look of a real open coal fire, combined with the convenience of gas fuel. The Richmond full depth convector fire combines a brilliant flame effect with high efficiency and outstanding warmth. The Richmond features a Standard trim and Dallas fret and is available in black, chrome or brass finishes.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Richmond Plus

| | |
|--------------------------|-------------|
| Useful energy efficiency | 66.7% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 4.1kW |

Richmond

| | |
|--------------------------|-------------|
| Useful energy efficiency | 60% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 3.7kW |

| Colour | Model Number | | |
|--------|--------------|----------|-----------|
| | Manual | Slide | Remote |
| Brass | FOPC12MN | FOPC12SN | FOPC12RN2 |
| Black | FOPC23MN | FOPC23SN | FOPC23RN2 |
| Chrome | FOPC37MN | FOPC37SN | FOPC37RN2 |

| Colour | Model Number |
|--------|--------------|
| | Slide |
| Brass | FICC42SN |


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Web Link



Dimensions



Richmond Plus
A 600mm
B 498mm
C 548mm
D 223mm
E 400mm

Richmond
A 595mm
B 500mm
C 550mm
D 250mm
E 400mm



Richmond Plus in chrome

Richmond Plus in black

high efficiency Conventional Flue – Hearth Inset – Open Fronted



Caress Plus

The Caress Plus features an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or chrome cast iron. The Caress Plus open-fronted model has been designed to provide an energy efficiency of 68.3% and a heat output at 4.2kW. Each model is available in a range of control options.

Specifications

Description: Mid and full depth inset gas fire Type of Heat: Radiant & Convected

Caress Plus

| | |
|--------------------------|-------------|
| Useful energy efficiency | 68.3% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 4.2kW |

| Control | Colour | Model Number | |
|---------|--------|--------------|-------------|
| | | Contemporary | Traditional |
| Manual | Brass | | FKPC11MN |
| | Chrome | FKPC3RMN | |
| Slide | Brass | FKPC45SN | FKPC41SN |
| | Chrome | FKPC6RSN | FKPC6JSN |
| Remote | Brass | | FKPC11RN2 |
| | Chrome | FKPC3RRN2 | |


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video Contemporary




Video Traditional



Dimensions

*Pre-cast flue on Caress Plus models.



Caress Plus
A 615mm
B 510mm
C 548mm
D 170mm
E 365mm



Caress Plus Traditional in brass



Rhapsody Plus in chrome

high efficiency Conventional Flue – Hearth Inset – Open Fronted



Calypso Plus

The Calypso Plus successfully combines exceptional fire design with today's necessity for convenience in the form of a user friendly dual directional slide control. This fire will be equally at home in a contemporary or traditional fire surround and room setting.



Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

| | | |
|--------------------------|-------------|-------|
| Useful energy efficiency | 68.3% | 67% |
| Energy efficiency class | F | F |
| Fuel type | Natural gas | LPG |
| Direct heat output | 4.2kW | 4.2kW |

| Control | Colour | Model Number | |
|---------|--------|--------------|---------|
| Slide | Chome | FKPCCCSN | FKPCCSP |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Dimensions †Pre-cast flue on Calypso Plus models.



Calypso Plus
A 605mm
B 491mm
C 548mm
D 170mm
E 365mm



Web Link

high efficiency Conventional Flue – Hearth Inset – Open Fronted



Rhapsody Plus

The classic Rhapsody Plus open fronted fire has a very realistic deep fuel effect and beautiful flame picture making it indistinguishable from a real coal fire. With an elegant arched trim and striking fret they are a timeless classic.



Specifications


Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| | | |
|--------------------------|-------------|-------|
| Useful energy efficiency | 68.3% | 67% |
| Energy efficiency class | F | F |
| Fuel type | Natural gas | LPG |
| Direct heat output | 4.2kW | 4.2kW |

| Control | Colour | Model Number | |
|---------|--------|--------------|----------|
| Slide | Black | FKPCBLSN | FKPCBLSP |
| | Chrome | FKPCSLSN | FKPCSLSP |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Dimensions



Rhapsody Plus
A 605mm
B 491mm
C 548mm
D 170mm
E 365mm



Web Link



Black



Decadence Plus in black nickel



high efficiency Conventional Flue – Hearth Inset – Open Fronted



Decadence Plus

The Decadence Plus is a striking open fronted coal effect gas fire which features a choice of three beautiful high quality cast iron fascias available in a choice of gold, chrome or black nickel plated finishes.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 68.3% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 4.2kW |

| Control type | Colour | Model Number |
|--------------|--------------|--------------|
| Slide | Gold | FKPCDBSN |
| | Chrome | FKPCDCSN |
| | Black Nickel | FKPCDNSN |
| Remote | Gold | FKPCDBRN2 |
| | Chrome | FKPCDCRN2 |
| | Black Nickel | FKPCDNRN2 |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally




Video



Dimensions

A 631mm
B 529mm
C 550mm
D 170mm
E 365mm



Decadence Plus in gold



Decadence Plus in chrome

high efficiency Conventional Flue – Hearth Inset – Open Fronted



Linear Plus

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This deep fuelbed gas fire delivers a wonderful flame effect and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 68.3% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 4.2kW |


| Fuel Effect | Control type | Colour | Model Number |
|-------------|--------------|--------|--------------|
| Coal | Manual | Chrome | FKPCU0MN |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Dimensions

A 595mm
B 483mm
C 548mm
D 170mm
E 365mm



2 inch black spacer available on this product. Part no. B-1003890
Spacer not suitable with cast iron trims or fascias.



Video



Kenilworth Plus in brass with Blenheim fret



high efficiency Conventional Flue – Hearth Inset – Open Fronted



Kenilworth Plus

The Kenilworth gas fire features a welcoming deep coal fuel effect that will fit most chimney and flue types including a pre-cast flue with a 3" rebate on the fire surround.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected


| | |
|--------------------------|-------------|
| Useful energy efficiency | 68.3% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 4.2kW |

| Control type | Colour | Model Number |
|--------------|----------------|--------------|
| Manual | Brass | FKPC14MN |
| | Chrome (Grace) | FKPC37MN |
| | Black | FKPC26MN |
| Slide | Brass | FKPC14SN |
| | Chrome (Grace) | FKPC37SN |
| | Black | FKPC26SN |
| Remote | Brass | FKPC14RN2 |
| | Chrome (Grace) | FKPC37RN2 |
| | Black | FKPC26RN2 |


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Web Link



Dimensions



2 inch black spacer available on this product. Part no. B-1003890



Kenilworth Plus in black with Blenheim fret



Kenilworth Plus in chrome with Grace fret

high efficiency Conventional Flue – Hearth Inset – Open Fronted



Expression Plus

The Flavel Expression Plus high efficiency gas fire boasts an impressive 68.3% Energy efficiency and can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a coal fuel effect and comes with a contemporary chrome one-piece fascia. This fire is available with manual control, slide control, or fully automatic remote control.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 68.3% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 4.2kW |

| Control type | Colour | Model Number |
|--------------|--------|--------------|
| Slide | Chrome | FKPCEPSN |
| Remote | Chrome | FKPCEPRN2 |


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video



Dimensions



2 inch black spacer available on this product. Part no. B-1003890



Windsor Contemporary Plus in chrome with coal fuel effect



high efficiency Conventional Flue – Hearth Inset – Open Fronted



Windsor Contemporary Plus

Stunning styling makes the Windsor Contemporary Plus the centrepiece of your room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858) and achieves an impressive 66.8% energy efficiency with a 4.0kW heat output.

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 66.8% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 4.0kW |

| Fuel Effect | Control type | Colour | Model Number |
|-------------|--------------|--------|--------------|
| Coal | Manual | Chrome | FSPCU0MN |
| Pebble | | Chrome | FSPPU0MN |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video Pebble




Video Coal



Windsor Contemporary Plus
Pebble fuel effect



Dimensions



high efficiency Conventional Flue – Hearth Inset – Open Fronted



Windsor Traditional Plus

The Windsor Traditional Plus is an open fronted high efficiency gas fire combining an exceptional heat output of 4.0kW and an energy efficiency of 66.8%. This fire is perfect for homes where a more traditional styling is needed to complement the décor.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 66.8% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 4.0kW |

| Control type | Colour | Model Number |
|--------------|--------|--------------|
| Manual | Brass | FSPC11MN |


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Video Coal



Dimensions





high efficiency Conventional & Balanced Flue – Hearth Outset – Glass Fronted



Emberglow

The Emberglow high efficiency gas fire features an elegant design with high quality cast iron canopy and fire front. Front and side windows allow the flames can be seen from all angles. The main image represents the natural gas model. The flame picture may differ on LPG model.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected


| | ES | Remote | ES | Manual |
|--------------------------|--------------|--------|----------|-------------|
| | Conventional | | Balanced | |
| Useful energy efficiency | 78.7% | 81.6% | 82.2% | 86.9% |
| Energy efficiency class | E | D | D | C |
| Fuel type | Natural gas | | LPG | Natural gas |
| Direct heat output | 4.2kW | 4.4kW | 4.2kW | 4.3kW |

Model Number

| Model Number | FEMC00EN | FEMC00RN2 | FEMC00EP | FBC00MN |
|--------------|----------|-----------|----------|---------|
| | | | | |


Safety: Flame Supervision Device & Airwatch System (not applicable to balanced flue model)

Air vent required: Not normally




Dimensions

* Manual control Balanced Flue model.



Emberglow Balanced Flue
A 708mm
B 673mm
C 324mm
D 153mm
E 140mm
F 102mm min -660 max



Emberglow Balanced Flue



Video CF



Video BF

high efficiency Conventional Flue – Hearth Outset – Glass Fronted



Renoir

The Renoir outset living flame effect gas fire features a beautiful flickering flame effect and is operated by an electronic side control system to make it much easier to ignite the fire. This classically designed fire has an impressive heat output of up to 4.4kW and energy efficiency of up to 81.6%.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected

| | ES | Remote |
|--------------------------|-------------|-------------|
| Useful energy efficiency | 78.7% | 81.6% |
| Energy efficiency class | E | D |
| Fuel type | Natural gas | Natural gas |
| Direct heat output | 4.2kW | 4.4kW |


| Colour | Model Number | |
|--------|--------------|-----------|
| Black | FRECNOEN | FRECNOEN2 |
| Bronze | FRECROEN | FRECROEN2 |

Safety: Flame Supervision Device & Airwatch System


Air vent required: Not normally



Web Link



Dimensions



Emberglow
A 703mm
B 684mm
C 324mm



Renoir in bronze



Strata in brown



Misermatic in light oak

high efficiency Conventional Flue – Hearth Outset – Open Fronted



Strata

The Strata offers an incredible energy efficiency of 82% and 5.2kW heat output. It has a stylish contemporary look with soft, curved lines and is available in a choice of three colour options. Can be wall mounted.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 82% |
| Energy efficiency class | D |
| Fuel type | Natural gas |
| Direct heat output | 5.2kW |


| Control type | Colour | Model Number |
|----------------|--------|--------------|
| Electronic Top | Black | FORSBLEN |
| | Brown | FORSBOEN |
| | Cream | FORSOEN |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Dimensions

A 530mm
B 715mm
C 210mm
D 100mm
E 60mm



Strata in black

Strata in cream



Video

high efficiency Conventional Flue – Hearth Outset – Open Fronted



Misermatic

Incredible 82% energy efficiency and adaptability; the Misermatic has them both. Available in a range of wood finishes, this fire can be wall or hearth mounted with an easily accessible top mounted control. Can be wall mounted.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 82% |
| Energy efficiency class | D |
| Fuel type | Natural gas |
| Direct heat output | 5.2kW |


| Control type | Colour | Model Number |
|----------------|------------|--------------|
| Electronic Top | Mahogany | FORMMOEN |
| | Teak | FORMTOEN |
| | Light Oak | FORMLOEN |
| | Medium Oak | FORMNOEN |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Dimensions

A 515mm
B 800mm
C 200mm
D 100mm
E 60mm



Misermatic in teak

Misermatic in medium oak

Misermatic in mahogany



Video



Renaissance in silver



Firenza in bronze

high efficiency Conventional Flue – Hearth Outset – Open Fronted



Renaissance

The Renaissance provides a natural talking point the moment you enter the room. Its stylish retro design is matched by its forward thinking simplicity of installation, impressive 5.2kW heat output and astounding 82% energy efficiency. Can be wall mounted.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 82% |
| Energy efficiency class | D |
| Fuel type | Natural gas |
| Direct heat output | 5.2kW |

| Control type | Colour | Model Number |
|----------------|--------|--------------|
| Electronic Top | Silver | FORRS0EN |
| | Black | FORRBOEN |


Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally



Dimensions

- A 652mm
- B 730mm
- C 200mm
- D 37mm
- E 60mm



Renaissance in black



Web Link

high efficiency Conventional Flue – Hearth Outset – Open Fronted



Firenza

The compact and economical Firenza can be wall or hearth mounted and has an energy efficiency of 80.1%. The control handle is located on the top panel for ease of use.

Specifications


Description: Slimline outset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 80.1% |
| Energy efficiency class | D |
| Fuel type | Natural gas |
| Direct heat output | 3.8kW |

| Control type | Colour | Model Number |
|--------------|--------|--------------|
| Top | Black | FFIRZ1MN |
| | Bronze | FFIRROMN |


Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally



Dimensions

- A 658mm
- B 506mm
- C 222mm



Firenza in black



Web Link



Regent in black

high efficiency Conventional Flue – Hearth Outset – Open Fronted




Regent

One of the most popular radiant fires in the UK, the Regent features a slim design and has an energy efficiency of 74%. The Regent is available in a choice of black or bronze finishes and is operated by electronic side control.



Dimensions

- A 680mm
- B 710mm
- C 255mm



Regent in bronze

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected

| | |
|--------------------------|-------------|
| Useful energy efficiency | 74% |
| Energy efficiency class | E |
| Fuel type | Natural gas |
| Direct heat output | 4.5kW |

| Control type | Colour | Model Number |
|-----------------|--------|--------------|
| Electronic Side | Black | FRGCNOEN |
| | Bronze | FRGCPOEN |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally



Web Link



Orchestra BF in satin silver

high efficiency Balanced Flue – Hearth Inset – Glass Fronted



Orchestra BF

If you want the warmth and mood created by a living flame fire yet don't have a chimney or flue, then the Orchestra is the perfect solution. This neat, glass fronted inset fire with an energy efficiency of 80% is framed by a chamfered trim and sleek fret.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected


| | |
|--------------------------|-------------|
| Useful energy efficiency | 80% |
| Energy efficiency class | E |
| Fuel type | Natural gas |
| Direct heat output | 2.7kW |

| Control type | Colour | Model Number |
|--------------|--------------|--------------|
| Manual | Satin Silver | FBFN98G |
| | Brass | FBFN76G |

Safety: Flame Supervision Device
Air vent required: Not normally




Web Link



Dimensions

- A 620mm
- B 470mm
- C 580mm
- D 125mm
- E 95mm
- F 435mm
- G 675mm max - 130mm min*
- H 400mm
- I 145mm



3 inch black spacer available on this product. Part no. 70-35890P



Orchestra BF in brass



Calibre BF in brass



Windsor Contemporary with pebble fuel effect

high efficiency Balanced Flue – Hearth Inset – Glass Fronted



Calibre BF

The Calibre Balanced Flue gas fire boasts an energy efficiency of 93.5% and features a full depth coal fuel effect. This glass fronted fire has an exceptionally large viewing area and is available in a choice of brass or chrome.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected


| | |
|--------------------------|-------------|
| Useful energy efficiency | 93.5% |
| Energy efficiency class | B |
| Fuel type | Natural gas |
| Direct heat output | 3.9kW |

| Fuel effect | Control type | Colour | Model Number |
|-------------|--------------|--------|--------------|
| Coal | Manual | Brass | FBFC1SMN2 |
| | | Chrome | FBFC37MN2 |
| | Remote | Brass | FBFC1SRN3 |
| | | Chrome | FBFC37RN3 |


Safety: Flame Supervision Device
Air vent required: Not normally



Video



Dimensions



2 inch black spacer available on this product. Part no. 1126-1036286B



Calibre BF in chrome

standard fires Conventional Flue – Wall Inset – Open Fronted

Windsor Contemporary

The Windsor Wall inset open fronted gas fire is available in a choice of coal or pebble fuel bed and features a large viewing window. This extremely versatile fire will fit into almost any chimney or flue and comes in a chrome finish.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant

| | |
|--------------------|-------------|
| Fuel type | Natural gas |
| Direct heat output | 2.7kW |

| Fuel effect | Control type | Colour | Model Number |
|-------------|--------------|--------|--------------|
| Coal | Manual | Chrome | FSRCHWMN |
| Pebble | | | FSRPHWMN |

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally
This product is not suitable for primary heating purposes.




Video
Pebble



Video
Coal



Dimensions



A 671mm
B 512mm
C 550mm
D 120mm
E 329mm



Windsor Contemporary with coal fuel effect




standardfires

Conventional Flue – Hearth Inset – Open Fronted




Caress Slimline

The Caress Slimline gas fire features a fabulous, top quality cast trim and Blenheim fret in chrome finish.



Dimensions

Caress Slimline
Manual Control
A 615mm
B 510mm
C 550mm
D 120mm
E 329mm



Specifications

| | | |
|--|-------------|--------------|
| Description: Slimline inset gas fire Type of Heat: Radiant | | |
| Manual Control | | |
| Fuel type | Natural gas | |
| Direct heat output | 2.7kW | |
| Control type | Colour | Model Number |
| Manual | Chrome | FSRCCMN |

This product is not suitable for primary heating purposes



Web Link

standardfires

Conventional – Hearth Inset – Open Fronted


Waverley

The Waverley, with its beautiful decorative flame effect, is a perfect replacement for a solid fuel grate. The 16" tapered inset tray is designed to fit a standard 16" fire back, providing a realistic coal effect for almost any style of fireplace.



Dimensions

A 350mm
B 205mm
C 230mm



Specifications

| | |
|--|--------------|
| Description: Full depth inset tray Type of Heat: Radiant | |
| Fuel type | Natural gas |
| Direct heat output | 2.7kW |
| Control type | Model Number |
| Manual | FITC00MN |

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

This product is not suitable for primary heating purposes



Web Link

Windsor Contemporary, & Traditional

The versatile styling of the Windsor gas fires ensures that there is a style to suit any room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858).



Windsor Contemporary
Chrome fascia
Pebble fuel effect



Windsor Contemporary with
Chrome fascia
Coal fuel effect



Windsor Traditional
Chrome trim and fret
Coal fuel effect



Specifications

Description: Slimline inset gas fire Type of Heat: Radiant

| | |
|--------------------|-------------|
| Fuel type | Natural gas |
| Direct heat output | 2.7kW |

Windsor Contemporary

| Fuel effect | Control type | Colour | Model Number |
|-------------|--------------|--------|--------------|
| Coal | Manual | Chrome | FSRCU0MN |
| Pebble | | Chrome | FSRPU0MN |

Windsor Traditional

| Fuel effect | Control type | Colour | Model Number |
|-------------|--------------|--------|--------------|
| Coal | Manual | Brass | FSRC1PMN |
| | | Chrome | FSRC3JMN |


Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

This product is not suitable for primary heating purposes

Dimensions

| Windsor Contemporary | Windsor Traditional |
|----------------------|---------------------|
| A 592mm | A 592mm |
| B 475mm | B 475mm |
| C 550mm | C 550mm |
| D 120mm | D 120mm |
| E 329mm | E 329mm |



This product comes with a standard 1 inch black spacer, or can be replaced with a 2 inch black spacer available on Part no. I146-1036278B



Web Link

Windsor Traditional in brass with coal fuel effect



Regent LFE in black



Regent LFE

One of the most popular radiant fires in the UK, The Regent LFE is slim for a neat fit into an existing fireplace and is highly efficient. It provides radiant and convected heat and is an elegant interpretation of the Regency period.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant

| | |
|--------------------------|-------------|
| Useful energy efficiency | 59.3% |
| Energy efficiency class | F |
| Fuel type | Natural gas |
| Direct heat output | 3.3kW |

| Control type | Colour | Model Number |
|-----------------|--------|--------------|
| Electronic Side | Black | FRLCNOEN |
| | Bronze | FRLCPOEN |
| Remote | Black | FRLCNORN2 |
| | Bronze | FRLCPORN2 |

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally




Web Link



Dimensions

| |
|---------|
| A 680mm |
| B 710mm |
| C 255mm |



Regent LFE in bronze

Builders' Opening sizes

| Product | Minimum Opening Width | Maximum Opening Width | Minimum Opening Height | Maximum Opening Height |
|--------------------|-----------------------|-----------------------|------------------------|------------------------|
| Calibre BF | 415mm | 420mm | 563mm | 570mm |
| Calypso | 400mm | 450mm | 550mm | 570mm |
| Calypso Plus | 370mm | 440mm | 550mm | 570mm |
| Caress HE | 400mm | 450mm | 550mm | 570mm |
| Caress Plus | 370mm | 440mm | 550mm | 570mm |
| Caress Slimline | 330mm | 440mm | 550mm | 575mm |
| Decadence HE | 370mm | 450mm | 550mm | 570mm |
| Decadence Plus | 370mm | 440mm | 550mm | 570mm |
| Diamond HE | 370mm | 450mm | 550mm | 570mm |
| Emberglow | 305mm | 440mm | 500mm | 650mm |
| Expression Plus | 370mm | 440mm | 550mm | 570mm |
| Firenza | 305mm | 440mm | 510mm | 650mm |
| Jazz HE | 650mm | 660mm | 460mm | 470mm |
| Jazz BF | 635mm | 645mm | 465mm | 475mm |
| Kenilworth HE | 370mm | 450mm | 550mm | 570mm |
| Kenilworth Plus | 370mm | 440mm | 550mm | 570mm |
| Linear HE | 370mm | 450mm | 550mm | 570mm |
| Linear Plus | 370mm | 440mm | 550mm | 570mm |
| Misermatic | 305mm | 440mm | 580mm | 650mm |
| Orchestra BF | 410mm | 420mm | 555mm | 565mm |
| Regent | 305mm | 440mm | 470mm | 650mm |
| Regent LFE | 305mm | 440mm | 525mm | 650mm |
| Renaissance | 305mm | 440mm | 580mm | 650mm |
| Renoir | 305mm | 440mm | 500mm | 650mm |
| Richmond | 400mm | 450mm | 550mm | 570mm |
| Richmond Plus | 400mm | 450mm | 550mm | 570mm |
| Rocco HE | 750mm | 760mm | 520mm | 530mm |
| Rocco BF | 730mm | 780mm | 540mm | 550mm |
| Romance | 400mm | 450mm | 550mm | 570mm |
| Sophia | 760mm | 790mm | 870mm | 880mm |
| Sophia Slimline BF | 750mm | 840mm | 1025mm | 1050mm |
| Strata | 305mm | 440mm | 580mm | 650mm |
| Waverley* | 400mm | 440mm | 550mm | 575mm |
| Waverley** | 560mm | 600mm | 690mm | 720mm |
| Windsor | 330mm | 440mm | 550mm | 575mm |
| Windsor HE | 330mm | 440mm | 550mm | 575mm |
| Windsor Plus | 330mm | 440mm | 550mm | 575mm |

*when fitted into standard builders opening with existing chair-brick
 **when fitted with "Victorian" style casting

Online inspiration & information

Tap into a wealth of knowledge and discover everything you need to know about purchasing, fitting and servicing your Flavel fire.

- * Search tools to find your perfect gas fire
- * Watch videos of our stunning fires
- * Download Installation and User manuals
- * Find your nearest Flavel Approved Stockist
- * Register your warranty



www.flavelfires.co.uk

WARNING BFM Europe Limited is a Gas Safe Registered company.

We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only, every effort has been made to ensure accurate reproduction of typical installations, however flame pictures may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat. In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present. (This brochure is copyright and must not be reproduced in whole or in any part without prior written permission).



www.flavelfires.co.uk

Visit our Flavel website on your smart phone or tablet device, just scan in this QR code.

We would like to thank Kedleston Heating (01332 200303), Olde England Reproductions (01782 319350), Stanningley Firesides (0113 257 1512) and GB Mantles (01924 473243) for contributing fire surrounds to this brochure.



At the heart of your home

BFM Europe Limited, Trentham Lakes, Stoke-on-Trent, Staffordshire ST4 4TJ.
Tel: 01782 339000. www.flavelfires.co.uk e-mail: info@bfm-europe.com